

2004

**Virginia Department of Transportation
Daily Traffic Volume Estimates
Including Vehicle Classification Estimates**

where available

Jurisdiction Report

33

Franklin County
Town of Rocky Mount
Town of Boones Mill

Prepared By

**Virginia Department of Transportation
Mobility Management Division**

In Cooperation With

**U.S. Department of Transportation
Federal Highway Administration**

Virginia Department of Transportation
Mobility Management Division
Traffic Monitoring Section

The Virginia Department of Transportation (VDOT) conducts a program where traffic count data are gathered from sensors in or along streets and highways and other sources. From these data, estimates of the average number of vehicles that traveled each segment of road are calculated. VDOT periodically publishes booklets listing these estimates.

One of these booklets, titled “Average Daily Traffic Volumes with Vehicle Classification Data, on Interstate, Arterial and Primary Routes” includes a list of each Interstate and Primary highway segment with the estimated Annual Average Daily Traffic (AADT) for that segment. AADT is the total annual traffic estimate divided by the number of days in the year. This booklet also includes information such as estimates of the percentage of the AADT made up by 6 different vehicle types, ranging from cars to double trailer trucks; estimated Annual Average Weekday Traffic (AAWDT), which is the number of vehicles estimated to have traveled the segment of highway during a 24 hour weekday averaged over the year; as well as Peak Hour and Peak Direction factors used by planners to formulate design criteria.

In addition to the Primary and Interstate publication, one hundred books are published periodically, one for each of 100 areas across the state defined by VDOT for record-keeping purposes. These books include traffic volume estimates for roads within the county, cities, and towns within the area. These books are titled “Daily Traffic Volumes Including Vehicle Classification Estimates, where available; Jurisdiction Report numbers 00 through 99”.

Also available are a number of reports summarizing the average Vehicle Miles Traveled (VMT) in selected jurisdictions and other categories of highways. There are many different ways to present traffic volume summary information. Because the user determines the value of each presentation, the reports have been redesigned based on user requests and feedback. The people at VDOT Mobility Management’s Traffic Monitoring Section who produce these books welcome requests for other helpful ways of presenting the summary information.

A compact disc (CD) is available that includes files in the Adobe® Portable Document Format (PDF) that can be displayed, searched, and printed using common desktop computer equipment. The CD includes the publications described above as well as a number of other reports, including specialized VMT summaries and smaller AADT reports for each city and town separately.

Publication Notes

Parallel Roads

For road inventory and management purposes, some roadways are counted separately by direction and have separately published traffic estimates for each direction of travel. Examples of such roadways are the interstate system and routes with separated facilities and (usually) one-way traffic facilities in urban areas. In these publications, they are referred to as parallel roads. As a convenience for the users of the publication, the listing for segments of roads with parallel segments are published with both the traffic estimates for their own direction of travel (e.g. I-95 Northbound) as well as the estimate of the total of all traffic on the same route including parallel roadways (all directions of I-95). The publication will have a “Combined Traffic Estimates for Parallel Roadways on this Route” or “Combined Traffic” identifiers for the combined direction of travel estimates.

Roadways such as I-395 with a North segment, a South segment and a separate Reversible lane segment will have the estimate for more than two parallel roadways included in the entire combined traffic estimate.

Some routes have very complicated paths through cities and towns. These parallel paths may be too complex to allow a relationship between nearby sections of the opposite direction on the same route. In this case, to indicate that the traffic estimates for such a road segment may not include all directions of traffic on that route, the line that would list the combined values will indicate “NA” for not available.

VDOT’s traffic monitoring program includes more than 100,000 segments of roads and highways ranging from several mile sections of Interstate highways to very short sections of city streets. Due to problems experienced obtaining some traffic count data, and the level of quality necessary to maintain confidence in the data, no estimate is currently available for some segments of roadway. These segments are included in the publications indicating “NA” for not available. It is the intention of the VDOT’s Mobility Management Traffic Monitoring group to obtain the data necessary and to report traffic volume estimates on all road segments included in these publications.

Many of the road segments in this program are local secondary roads. The amount and detail of data collected on these roads are not as great as the data collected on higher volume roads. The vehicle classification, average weekday traffic volumes, and the theoretical design hour traffic volumes are not calculated for these roads. The publications indicate “NA” for the information that is not available.

This publication is based on a traffic monitoring program initiated in 1997. Because the data collection techniques and statistical evaluation processes are different than those used in previous years, comparison with previous publications may be misleading.

Glossary of Terms:

Route: The Route Number assigned to this segment of roadway with the master inventory route number if this is an overlapping route, with official street or highway name if available.

Length: Length of the traffic segment in miles.

AADT: Annual Average Daily Traffic. The estimate of typical daily traffic on a road segment for all days of the week, Sunday through Saturday, over the period of one year.

QA: Quality of AADT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- H Historical Estimate
- M Manual Uncounted Estimate
- N AADT of Similar Neighboring Traffic Link
- O Provided By External Source
- R Raw Traffic Count, Unfactored

4Tire: Percentage of the traffic volume made up of motorcycles, passenger cars, vans and pickup trucks.

Bus: Percentage of the traffic volume made up of busses.

2Axle Truck: Percentage of the traffic volume made up of 2 axle single unit trucks (not including pickups and vans).

3+Axle Truck: Percentage of the traffic volume made up of single unit trucks with three or more axles.

1Trail Truck: Percentage of the traffic volume made up of units with a single trailer.

2Trail Truck: Percentage of the traffic volume made up of units with more than one trailer.

QC: Quality of Classification Data:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- C Short Term Classified Traffic Count Data
- F Factored Short Term Traffic Count Data
- H Historical Estimate
- M Mass Collective Average
- N Classification Estimates of Similar Neighboring Traffic Link

K Factor: The estimate of the portion of the traffic volume traveling during the peak hour or design hour.

QK: Quality of the Peak Hour estimate:

- A Factor based on 30th Highest Hour Observed During at least 250 days of Continuous Traffic Data
- B Factor based on other Hour Observed During Less than 250 days of Continuous Traffic Data
- F Factor based on Highest Hour Collected at in a 48 Hour Weekday Period
- M Factor based on Manual Estimate of design hour
- N Peak Hour Factor of Similar Neighboring Traffic Link
- O Provided by External Source

Dir Factor: The estimate of the portion of the traffic volume traveling in the peak direction during the peak hour..

AAWDT: Average Annual Weekday Traffic. The estimate of typical traffic over the period of one year for the days between Monday through Thursday inclusive.

QW: Quality of AAWDT:

- A Average of Complete Continuous Count Data
- B Average of Selected Continuous Count Data
- F Factored Short Term Traffic Count Data
- G Factored Short Term Traffic Count Data with Growth Element
- M Manual Uncounted Estimate
- N AAWDT of Similar Neighboring Traffic Link
- O Provided by External Source

Year: Year for which the published values are appropriate. If the Quality of AADT (QA) is “R”, the year is the year that the raw traffic count was collected, and if available,

Route Shield Legend

Route Systems

North 	Interstate Route	Traffic volume data for Interstate Routes and some other routes are reported separately by direction, as well as combined.
	US Route	
	Virginia State Route	
	Secondary Route	

Special Routes

Bus 	Bus - Business Route
	Bypass - Bypass Route
Truck 	Truck - Truck Route
ALT 	ALT - Alternate Route
	Wve - Wye Route connector
	P - Parallel Route; Southbound or Westbound direction lanes of a numbered route where they are on a different road facility than the other direction.
	The VDOT Maintenance Jurisdiction number is displayed below the Secondary Route Number if the Maintenance Jurisdiction is different than the jurisdiction in the title of the report.

Virginia Department of Transportation
Mobility Management Division
2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
40	Franklin County	From: 2.83	Patrick County Line	300	G	96%	1%	1%	1%	1%	0%	F	0.117	F	0.543	300	G
40	Franklin County	To: 0.75	33-785	370	G	96%	1%	1%	1%	1%	0%	F	0.103	F	0.585	370	G
40	Franklin County	From: 4.76	33-622 Near Endicott	780	G	96%	1%	1%	1%	1%	0%	F	0.086	F	0.555	790	G
40	Franklin County	To: 4.06	33-605	1800	G	96%	1%	1%	1%	1%	0%	C	0.077	F	0.612	1800	G
40	Franklin County	From: 8.79	33-602 Near Ferrum	4700	G	96%	1%	1%	1%	1%	0%	F	0.093	F	0.633	4800	G
40	Franklin Street	To: 0.80	WCL Rocky Mount	10000	G	97%	0%	1%	0%	1%	0%	C	0.089	F	0.592	10000	G
40	Franklin Street	From: 0.36	Floyd Ave	8300	G	97%	0%	1%	0%	1%	0%	F	0.087	F	0.634	8400	G
40	Franklin Street	To: 0.18	Diamond Ave	11000	G	97%	0%	1%	0%	1%	0%	F	0.088	F	0.616	11000	G
40	Bus 220	From: 0.03	North Main Street	13000	G	98%	0%	1%	0%	1%	0%	F	0.088	N	0.528	13000	G
40	Pell Ave	To: 0.75	Norht Main St	6300	G	97%	0%	1%	0%	1%	0%	C	0.089	F	0.514	6400	G
40	Pell Ave	From: 0.30	South Main St	16000	G	97%	0%	1%	0%	1%	0%	F	0.084	F	0.581	16000	G
40	Franklin County	To: 0.17	Tanyard Rd	18000	G	97%	0%	1%	0%	1%	0%	F	0.084	N	0.581	18000	G
40	Franklin County	From: 0.85	ECL Rocky Mount	US 220	G	91%	1%	2%	2%	5%	0%	F	0.086	F	0.511	19000	G
40	Franklin County	To: 2.73	SR 122 Baldknob	9400	G	91%	1%	2%	2%	5%	0%	F	0.085	F	0.618	9500	G
40	Franklin County	From: 3.88	33-655	5600	G	91%	1%	2%	2%	5%	0%	C	0.086	F	0.605	5700	G
40	Franklin County	To: 4.48	33-718	4900	G	91%	1%	2%	2%	5%	0%	F	0.085	F	0.527	5000	G
40	Franklin County	From: 4.01	33-945	3400	G	85%	1%	2%	1%	10%	0%	F	0.091	F	0.537	3500	G
40	Franklin County	To: 0.63	33-890 Near Penhook	2200	G	85%	1%	2%	1%	10%	0%	C	0.093	F	0.572	2200	G
		To: 0.63	Pittsylvania County Line														

Virginia Department of Transportation
Mobility Management Division
2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
48 Blue Ridge Parkway	Franklin County (Maint: US)	From: Floyd County Line	1.51	1000	O	94%	0%	1%	2%	3%	0%	F	NA	5400	G		
		To: Floyd County Line															
116	Franklin County	From: SR 122 Burnt Chimney	5.92	3500	G	99%	0%	0%	0%	0%	0%	F	0.104	F	0.613	3600	G
		To: 33-678															
116	Franklin County	From: 33-678	3.58	3900	G	99%	0%	0%	0%	0%	0%	C	0.114	F	0.846	4000	G
		To: Roanoke County Line															
122	Franklin County	From: SR 40 Baldknob	7.14	4900	G	95%	1%	1%	1%	2%	0%	F	0.084	F	0.609	5000	G
		To: SR 116 Burnt Chimney															
122	Franklin County	From: 4.44	6000	G	95%	1%	1%	1%	2%	0%	F	0.084	F	0.634	6100	G	
		To: 33-636 Lost Mt Rd															
122	Franklin County	From: 2.21	7900	G	95%	1%	1%	1%	2%	0%	C	0.085	F	0.526	8000	G	
		To: 33-616 Scruggs Rd															
122	Franklin County	From: 3.61	6500	G	95%	1%	1%	1%	2%	0%	F	0.084	F	0.538	6600	G	
		To: Bedford County Line															
220	Franklin County	From: Henry County Line	1.90	14000	G	85%	1%	1%	1%	12%	1%	F	0.077	F	0.547	14000	G
		To: 33-605															
220	Franklin County	From: 3.96	16000	G	85%	1%	1%	1%	12%	1%	F	0.071	F	0.518	16000	G	
		To: 33-718															
220	Franklin County	From: 6.70	15000	G	85%	1%	1%	1%	12%	1%	F	0.067	F	0.519	15000	G	
		To: BUS US 220 S of Rocky Mount															
220	Franklin County	From: 3.18	17000	B	85%	1%	1%	1%	12%	1%	C	0.097	A	0.580	17000	B	
		To: SR 40															
220	Franklin County	From: 1.35	20000	G	85%	1%	1%	1%	12%	1%	F	0.073	F	0.505	21000	G	
		To: BUS US 220 N of Rocky Mount															
220	Franklin County	From: 3.73	25000	G	85%	1%	1%	1%	12%	1%	F	0.076	F	0.536	25000	G	
		To: 33-697 South															
220	Franklin County	From: 3.97	24000	G	85%	1%	1%	1%	12%	1%	F	0.079	F	0.584	24000	G	
		To: SCL Boones Mill															
220	Town of Boones Mill (Maint: 33)	From: 1.32	29000	G	85%	1%	1%	1%	12%	1%	F	0.077	F	0.552	29000	G	
		To: NCL Boones Mill															
220	Franklin County	From: 1.17	26000	G	85%	1%	1%	1%	12%	1%	F	0.082	F	0.632	27000	G	
		To: 33-613															
220	Franklin County	From: 0.37	28000	G	85%	1%	1%	1%	12%	1%	F	0.081	F	0.692	28000	G	
		To: Roanoke County Line															

Virginia Department of Transportation
Mobility Management Division
2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Jurisdiction	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	
							2Axle	3+Axle	1Trail	2Trail							
Bus 220	Franklin County	From: US 220 South of Rocky Mount	1.76	6100	G	96%	0%	1%	0%	2%	0%	C	0.101	F	0.600	6200	G
Bus 220	Town of Rocky Mount	From: SCL Rocky Mount	0.10	6200	G	96%	0%	1%	0%	2%	0%	F	0.084	F	0.574	6400	G
Bus 220	South Main St	From: Scuffling Hill Rd	0.81	6300	G	98%	0%	1%	0%	1%	0%	C	0.091	F	0.574	6400	G
Bus 220	South Main St	From: Floyd Ave	0.24	9200	G	98%	0%	1%	0%	1%	0%	F	0.091	F	0.544	9400	G
Bus 220	South Main St	From: Tanyard Road	0.08	5700	G	98%	0%	1%	0%	1%	0%	F	0.086	F	0.587	5800	G
Bus 220	South Main St	From: Claiborne Ave	0.15	4700	G	98%	0%	1%	0%	1%	0%	F	0.091	F	0.548	4700	G
Bus 220	40	From: Pell Ave	0.03	13000	G	98%	0%	1%	0%	1%	0%	F	0.088	N	0.528	13000	G
Bus 220	North Main St	From: Franklin St	0.54	10000	G	97%	0%	1%	1%	1%	0%	C	0.088	F	0.528	10000	G
Bus 220	North Main St	From: North Int Circle Dr	1.05	9600	G	97%	0%	1%	1%	1%	0%	F	0.086	F	0.546	9800	G
Bus 220	Franklin County	From: NCL Rocky Mount	0.57	13000	G	97%	0%	1%	1%	1%	0%	F	0.095	F	0.513	13000	G

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year		
						2Axle	3+Axle	1Trail	2Trail									
Franklin County																		
(600) Adkins Rd	0.81	10	R			From: 33-890									NA	NA	06/26/2002	
						To: Dead End												
(601) Dudley Amos Rd	0.41	110	R			From: Dead End									NA	NA	1999	
						To: 33-967 Hillcrest Heights Dr												
(601) Dudley Amos Rd	0.45	250	R			From: 33-1314 Key Lakewood Dr									NA	NA	1999	
						To: 33-1317 Oakpark Dr												
(601) Dudley Amos Rd	0.17	620	R			From: 33-1317 Oakpark Dr									NA	NA	1999	
						To: 33-1313												
(601) Dudley Amos Rd	0.40	690	R			From: 33-616 Morewood Rd									NA	NA	1999	
						To: SR 40												
(602)	0.30	2700	G	98%	0%	1%	0%	0%	0%	C	0.088	F	0.529	2800	G	2004		
						To: 33-1270 Arthur Circle												
(602)	4.24	170	G	98%	0%	1%	0%	0%	0%	F	0.163	F	0.82	170	G	2004		
						To: 33-640 EAST												
(602)	2.28	450	G	98%	0%	1%	0%	0%	0%	F	0.097	F	0.526	450	G	2004		
						To: 33-748												
(602)	1.85	580	G	98%	0%	1%	0%	0%	0%	F	0.114	F	0.603	590	G	2004		
						To: 33-641												
(602)	8.75	710	R			From: 33-641									NA	NA	1999	
						To: 33-643												
(602)	2.00	220	R			From: Roanoke County Line									NA	NA	1999	
						To: Roanoke County Line												
(603)	1.38	270	R			From: Henry County Line									NA	NA	1999	
						To: 33-894 Johnson Hill Rd												
(603)	0.60	310	R			From: 33-894 Johnson Hill Rd									NA	NA	1999	
						To: 0.60 MN 33-894												
(603)	0.43	310	R			From: 33-798 Knob Church Rd									NA	NA	1999	
						To: 33-798 Knob Church Rd												
(604) Lilian Naff Rd	0.20	20	R			From: Dead End									NA	NA	1999	
						To: Henry County Line												
(605)	1.76	620	G	94%	2%	2%	0%	1%	0%	C	0.086	F	0.569	630	G	2004		
						To: SR 40; 33-788												
(605)	2.77	820	G	94%	2%	2%	0%	1%	0%	F	0.08	F	0.521	840	G	2004		
						To: 33-623												
(605)	0.43	990	G	96%	1%	2%	0%	1%	0%	C	0.089	F	0.517	1000	G	2004		
						To: 33-648												
(605)	2.74	980	G	94%	2%	2%	0%	1%	0%	F	0.089	F	0.565	990	G	2004		
						To: 33-768 Lighthaven Rd												
(605)	0.24	1100	G	96%	1%	2%	0%	1%	0%	F	0.093	F	0.677	1100	G	2004		
						To: 33-769; 33-770; 44-605												
(605)	3.39	700	G	96%	1%	2%	0%	1%	0%	F	0.092	F	0.702	710	G	2004		
						To: 33-606 EAST												
(605)	1.43	1300	G	96%	1%	2%	0%	1%	0%	C	0.083	F	0.632	1300	G	2004		
						To: 33-607 W, Fairfield Rd												
(605)						To: US 220												

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Franklin County																
(606)	0.15	1100	G	97%	1%	1%	0%	1%	0%	C	0.114	F	0.725	1100	G	2004
				From:	Henry County Line											
(606)	1.15	550	G	97%	1%	1%	0%	1%	0%	F	0.125	F	0.554	560	G	2004
				To:	33-605											
(606)	0.14	250	R		From:	33-767					NA				NA	1999
				To:	33-764 Carver Lee Rd											
(606)	7.26	100	R		From:	33-607 Fairfield Rd					NA				NA	1999
				To:	33-607 Fairfield Rd											
(607) Fairfield Rd	2.44	200	R		From:	Henry County Line					NA				NA	1999
				To:	33-605 EAST											
(607) Fairfield Rd	1.96	410	R		From:	33-605 WEST					NA				NA	1999
				To:	33-764 Carver Lee Rd											
(607) Fairfield Rd	2.68	370	R		From:	33-762					NA				NA	1999
				To:	33-606											
(607)	1.87	550	G	96%	1%	1%	2%	1%	0%	C	0.125	F	0.653	560	G	2004
				From:	SR 40											
(608) Fork Mountain Rd	1.00	200	R		From:	Henry County Line; 33-609					NA				NA	06/11/2002
				To:	33-719 Fawndale Rd											
(608) Fork Mountain Rd	1.72	390	R		From:	US 220					NA				NA	06/11/2002
				To:	33-759											
(608) Fork Mountain Rd	0.62	580	R		From:	33-718 SOUTH					NA				NA	1999
				To:	33-718 NORTH											
(608) Fork Mountain Rd	1.42	450	R		From:	33-762					NA				NA	1999
				To:	Henry County Line; 33-608											
(609) Country Ridge Rd	0.94	130	R		From:	33-719 Fawndale Rd					NA				NA	06/11/2002
				To:	US 220											
(610)	0.09	0	R		From:	Dead End					NA				NA	06/26/2002
				To:	33-1380											
(610)	0.59	750	R		From:	33-1378 Marina bay Dr					NA				NA	1999
				To:	33-1120 Bull Run Dr											
(610)	0.40	800	R		From:	Pittsylvania County Line					NA				NA	1999
				To:	33-652 Circle Creek											
(611) Belcher Rd	1.55	20	R		From:	33-651; Gap Terminus					NA				NA	06/24/2002
				To:	33-620; Gap Terminus											
(611) Belcher Rd	2.13	70	R		From:	Pittsylvania County Line					NA				NA	06/24/2002
				To:												

Virginia Department of Transportation
Mobility Management Division

2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year		
						2Axle	3+Axle	1Trail	2Trail									
Franklin County																		
(612)	0.55	90	R			From:	Roanoke County Line								NA	NA	05/28/2002	
(612)	0.50	40	R			To:	33-835 Glendale Rd								NA	NA	05/28/2002	
(613)	2.00	1500	G	98%	0%	1%	0%	0%	0%	C	0.141	F	0.810	1500	G	2004		
(613)	1.85	1100	G	98%	0%	1%	0%	0%	0%	F	0.144	F	0.707	1200	G	2004		
(613)	1.10	1300	G	98%	0%	1%	0%	0%	0%	F	0.138	F	0.695	1300	G	2004		
(614)	0.50	40	R			From:	Dead End								NA	NA	1999	
(614)	0.50	0	R			To:	33-613 WEST								NA	NA	05/28/2002	
(615)	1.90	60	R			From:	Roanoke County Line								NA	NA	05/28/2002	
(615)	1.10	100	R			To:	1.90 ME OF CL								NA	NA	05/28/2002	
(616) Morewood Rd	0.38	20	R			From:	Dead End								NA	NA	1999	
(616) Morewood Rd	0.25	150	R			To:	33-711								NA	NA	1999	
(616)	0.59	820	G	95%	0%	1%	2%	1%	0%	F	0.103	F	0.553	830	G	2004		
(616)	0.37	970	G	95%	0%	1%	2%	1%	0%	F	0.094	F	0.541	990	G	2004		
(616)	0.26	1600	G	95%	0%	1%	2%	1%	0%	F	0.092	F	0.548	1700	G	2004		
(616)	0.32	1800	G	95%	0%	1%	2%	1%	0%	F	0.093	F	0.564	1800	G	2004		
(616)	5.48	5100	G	95%	0%	1%	2%	1%	0%	F	0.097	F	0.502	5200	G	2004		
(616)	0.77	7500	G	95%	0%	1%	2%	1%	0%	C	0.089	F	0.533	7600	G	2004		
(616) Morewood Rd	2.28	1000	R			To:	SR 122 EAST								NA	NA	1999	
(616) Morewood Rd	1.00	100	R			From:	SR 122 WEST								NA	NA	06/19/2002	
(617) Dundee Rd	1.00	100	R			To:	Dead End								NA	NA	06/19/2002	
(618) Muddy Fork Rd	0.58	700	R			From:	Dead End								NA	NA	06/11/2002	
(618) Muddy Fork Rd	5.13	300	R			To:	33-646 Doe Run Rd								NA	NA	06/11/2002	
(619)	0.85	700	G	97%	0%	1%	0%	1%	0%	F	0.098	F	0.543	710	G	2004		
						From:	Henry County Line											
						To:	33-632											
						From:	US 220											
						To:	SR 40; 33-756											
						From:	33-939 Menefee Rd											

Virginia Department of Transportation
Mobility Management Division

2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Franklin County																
(619)	2.74	680	G	97%	0%	1%	0%	1%	0%	F	0.099	F	0.638	690	G	2004
				From:	33-939 Menefee Rd											
(619)	2.12	1300	G	97%	0%	1%	0%	1%	0%	C	0.098	F	0.662	1400	G	2004
				To:	33-756 SOUTH											
				From:	US 220 SOUTH											
(619)	4.77	2600	G	97%	1%	1%	0%	1%	0%	C	0.095	F	0.698	2600	G	2004
				To:	US 220 NORTH											
(619)	3.26	1500	G	97%	1%	1%	0%	1%	0%	F	0.09	F	0.703	1500	G	2004
				From:	33-718 EAST											
(619)	2.22	1200	G	97%	1%	1%	0%	1%	0%	F	0.097	F	0.646	1200	G	2004
				To:	33-989 S. Dennis Loop											
(619)	1.52	920	G	97%	1%	1%	0%	1%	0%	F	0.101	F	0.557	930	G	2004
				From:	33-630 Airport Rd											
				To:	33-890 WEST											
				From:	33-890 EAST											
(619) Fanny Cook Rd	2.39	100	R								NA			NA		06/17/2002
				To:	Henry County Line											
(620) Campbell Rd	1.42	150	R								NA			NA		06/24/2002
				From:	33-652 Circle Creek											
(620) Campbell Rd	0.70	100	R								NA			NA		06/24/2002
				To:	33-611 Belcher Rd											
				From:	33-969											
(621) Black Rock Rd	1.50	170	R								NA			NA		07/01/2002
				To:	SR 122											
(622)	2.00	100	R								NA			NA		1999
				From:	SR 40											
(622)	1.00	40	R								NA			NA		06/03/2002
				To:	33-785 Johnnys Ridge Rd											
(623)	4.06	300	G	98%	1%	1%	0%	0%	0%	F	0.099	F	0.576	300	G	2004
				To:	33-605 SOUTH											
(623)	1.40	670	G	98%	1%	1%	0%	0%	0%	F	0.103	F	0.542	690	G	2004
				From:	33-605 NORTH											
(623)	2.58	810	G	98%	1%	1%	0%	0%	0%	C	0.092	F	0.57	820	G	2004
				To:	33-778 Nicholas Creek Rd											
(623)	0.05	530	G	98%	1%	1%	0%	0%	0%	F	0.098	F	0.562	530	G	2004
				From:	33-865											
(623)	0.20	1100	R								NA			NA		1999
				To:	33-805											
(623)	0.30	140	R								NA			NA		1999
				From:	33-915											
(624)	1.10	130	R								NA			NA		1999
				To:	33-864 Old Ferrum Rd											
(624)				From:	Dead End											
(625) Danbury Rd	2.36	80	R								NA			NA		06/24/2002
				To:	33-652 Circle Creek											
(626)	0.40	120	R								NA			NA		06/26/2002
				From:	33-646 Doe Run Rd											
(626)	1.92	120	R								NA			NA		06/26/2002
				To:	33-659											
(626)				From:	0.40 MN 33-659											
(626)				To:	2.32 MN 33-659											

Virginia Department of Transportation
Mobility Management Division

2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Franklin County																
(626)	0.22	120	R			From: 2.32 MN 33-659								NA		06/26/2002
						To: SR 40; 33-660										
(627) Old Chapel Rd	0.65	50	R			From: 33-969								NA		06/24/2002
						To: 33-890										
(628) Country Mile Rd	1.28	30	R			From: 33-646 Doe Run Rd								NA		06/24/2002
						To: 33-969										
(629)	1.23	130	R			From: 33-890 WEST								NA		06/24/2002
						To: 33-646 Doe Run Rd										
(629)	0.08	0	R			From: 33-651								NA		06/24/2002
						To: 33-969										
(629)	2.58	130	R			From: 33-651								NA		06/24/2002
						To: 33-969										
(629)	2.07	200	R			From: 33-809 Museville Rd								NA		06/26/2002
						To: 33-890 EAST										
(630) Airport Rd	3.67	150	R			From: 33-619 Fanny Cook Rd								NA		06/24/2002
						To: 33-890										
(631) Bowles Valley Rd	1.87	90	R			From: 33-632								NA		06/24/2002
						To: Dead End										
(632)	6.60	130	R			From: 33-618 Muddy Fork Rd								NA		06/17/2002
						To: 33-619 SOUTH										
(632)	3.50	230	R			From: 33-619 NORTH								NA		06/24/2002
						To: 33-631 Bowles Valley Rd										
(632)	1.94	240	R			From: 33-631 Bowles Valley Rd								NA		06/24/2002
						To: 33-890										
(633) Lynville Mountain Rd	0.43	100	R			From: 33-635								NA		1999
						To: Dead End; Gap Terminus										
(633) Lynville Mountain Rd	0.40	10	R			From: 33-681								NA		07/08/2002
						To: 33-681										
(634)	2.02	1100	G	98%	1%	1%	0%	1%	0%	F	0.107	F	0.517	1100	G	2004
						From: SR 122										
(634)	3.30	220	G	98%	1%	1%	0%	1%	0%	F	0.104	F	0.52	220	G	2004
						To: 33-678 WEST										
(634)	1.11	460	G	98%	1%	1%	0%	1%	0%	F	0.092	F	0.591	470	G	2004
						From: 33-804 Deepwoods Rd										
(634)	0.50	810	G	98%	1%	1%	0%	1%	0%	F	0.108	F	0.753	820	G	2004
						To: 33-679 Charlie Rd										
(634)	1.33	3100	G	98%	1%	1%	0%	1%	0%	C	0.092	F	0.634	3100	G	2004
						From: 33-676										
(634)	0.77	4000	G	98%	1%	1%	0%	1%	0%	F	0.101	F	0.706	4000	G	2004
						To: 33-635 SOUTH										
(635)	1.64	1300	G	97%	0%	1%	1%	1%	0%	C	0.102	F	0.631	1300	G	2004
						From: US 220										
						To: 33-697 Brick Church Rd										

Virginia Department of Transportation
Mobility Management Division

2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck					QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail								
Franklin County																	
(635)	3.85	770	G	97%	0%	1%	1%	1%	0%	F	0.120	F	0.741	780	G	2004	
(635)	1.05	610	G	97%	0%	1%	1%	1%	0%	F	0.117	F	0.525	620	G	2004	
(635)	0.74	500	G	97%	0%	1%	1%	1%	0%	F	0.133	F	0.608	510	G	2004	
(635)	0.26	50	R	From SR 116; Gap Terminus To Dead End; Gap Terminus										NA	NA	07/08/2002	
(635)	1.50	50	R	From 33-678 WEST To 33-678 EAST										NA	NA	07/08/2002	
(635)	1.43	520	R	From 33-680 Edwardsville Rd										NA	NA	1999	
(635)	2.10	750	R	From 33-633 Lynville Mountain Rd										NA	NA	1999	
(635)	0.37	1200	G	98%	0%	1%	0%	0%	0%	C	0.107	F	0.518	1200	G	2004	
(635)	0.90	170	R	From 33-634 NORTH										NA	NA	1999	
(635)	0.42	70	R	From 33-843 Moorman Rd To Dead End										NA	NA	1999	
(636)	2.65	200	R	From 33-670 Burnt Chimney Rd To SR 122 EAST From SR 122 WEST										NA	NA	1999	
(636)	2.18	2100	G	97%	1%	1%	1%	1%	0%	F	0.085	F	0.556	2100	G	2004	
(636)	0.69	2100	G	97%	1%	1%	1%	1%	0%	C	0.097	F	0.574	2100	G	2004	
(636)	1.43	500	R	From 33-676 NORTH										NA	NA	1999	
(636)	0.60	45	R	From 33-653 Ellis Rd To Dead End										NA	NA	07/08/2002	
(637)	1.00	10	R	From 33-793; 33-825 To 33-846										NA	NA	06/03/2002	
(637)	1.30	40	R	From 33-789 NORTH To 33-789 SOUTH										NA	NA	06/03/2002	
(637)	0.85	50	R	To 33-788 From Dead End										NA	NA	06/03/2002	
(638)	1.25	60	R	From Dead End To Floyd County Line										NA	NA	06/03/2002	
(639)	0.48	350	R	From 33-684 To 33-1510 Oakdale Dr										NA	NA	07/08/2002	
(639)	0.07	300	R	From 33-1511 To 33-1512										NA	NA	07/08/2002	
(639)	0.08	230	R	From 33-1512 To 33-1514										NA	NA	07/08/2002	
(639)	0.10	130	R	To 33-1514										NA	NA	07/08/2002	

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Franklin County																
(639)	0.08	70	R			From:	33-1514							NA	NA	07/08/2002
(639)	0.18	20	R			To:	33-1513 Autumn Circle							NA	NA	07/08/2002
						To:	Dead End									
(640) Five Mile Mountain Rd	3.58	200	R			From:	Floyd County Line							NA	NA	1999
(640) Five Mile Mountain Rd	0.78	170	R			To:	33-748 NORTH							NA	NA	1999
(640) Five Mile Mountain Rd	3.21	100	R			From:	33-748 SOUTH							NA	NA	1999
						To:	33-602 WEST									
						From:	33-602 EAST									
(640)	3.89	830	G	97%	0%	2%	0%	1%	0%	F	0.096	F	0.655	840	G	2004
						To:	33-756									
(640)	3.61	2500	G	97%	0%	2%	0%	1%	0%	C	0.124	F	0.723	2500	G	2004
						To:	SR 40 NORTH									
						From:	SR 40 SOUTH									
(640)	0.68	2000	G	97%	0%	2%	0%	1%	0%	F	0.096	F	0.568	2000	G	2004
						To:	WCL Rocky Mount									
						From:	33-602									
(641)	2.27	1500	G	96%	1%	1%	1%	1%	0%	F	0.096	F	0.562	1500	G	2004
						To:	33-740 Algoma Rd									
(641)	3.88	1600	G	96%	1%	1%	1%	1%	0%	F	0.092	F	0.565	1600	G	2004
						To:	33-734 EAST									
(641)	2.84	1600	G	96%	1%	1%	1%	1%	0%	C	0.104	F	0.621	1600	G	2004
						To:	33-919									
						From:	33-748									
(642) Foothills Rd	1.10	120	R											NA	NA	1999
						To:	33-747 Hempfield Rd									
(642) Foothills Rd	3.55	150	R			From:	33-602							NA	NA	1999
						From:	33-640 Five Mile Mountain Rd									
(643)	1.26	1300	G	97%	0%	1%	1%	1%	0%	C	0.099	F	0.561	1300	G	2004
						To:	33-734									
(643)	0.58	730	G	97%	0%	1%	1%	1%	0%	F	0.117	F	0.581	740	G	2004
						To:	33-821 Calico Rock Rd									
(643)	2.84	260	R											NA	NA	1999
						To:	33-737 EAST									
(643)	2.19	150	R			From:	33-641 EAST							NA	NA	1999
						To:	33-641 WEST									
(643)	1.76	1100	G	97%	0%	1%	1%	1%	0%	F	0.102	F	0.593	1100	G	2004
						To:	33-739 SOUTH									
						From:	33-739 NORTH									
(643)	0.72	550	R											NA	NA	1999
						To:	33-998 Mirey Branch Rd									
(643)	1.39	410	R			From:	33-742 NORTH							NA	NA	1999
(643)	0.40	450	R			To:	33-744							NA	NA	1999
						From:	33-745 Dillons Mill Rd									
(643)	2.88	260	R											NA	NA	1999
						To:	0.54 MN 33-745									
(643)	0.54	50	R			From:								NA	NA	1999

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck					QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Franklin County																	
(643)	1.40	30	R			From:	0.54 MN 33-745								NA	NA	05/28/2002
						To:	33-602										
(644) Flint Hill Rd	0.09	40	R			From:	SR 122								NA	NA	07/01/2002
						To:	33-699										
(645)	1.34	1400	R			From:	SR 40								NA	NA	1999
						To:	Pittsylvania County Line										
(646) Doe Run Rd	4.05	560	R			From:	33-652 Circle Creek								NA	NA	06/24/2002
						To:	33-890										
(646)	1.87	1100	G	95%	1%	1%	1%	1%	0%		F	0.101	F	0.652	1100	G	2004
						From:	33-673 Jacks Mountain Rd										
(646)	3.77	1100	G	95%	1%	1%	1%	1%	0%		C	0.104	F	0.612	1200	G	2004
						To:	33-718 NORTH										
(646)	2.15	410	G	95%	1%	1%	1%	1%	0%		F	0.135	F	0.55	420	G	2004
						To:	33-674										
(647) Kay Fork	1.60	20	R			From:	SR 40								NA	NA	06/26/2002
						To:	33-659										
(647) Kay Fork	1.00	20	R			From:	33-660								NA	NA	06/26/2002
						To:											
(648)	2.17	90	R			From:	33-605								NA	NA	1999
						To:	33-837 Marshall Hill Rd										
(649)	0.21	2900	R			From:	SR 40 WEST								NA	NA	07/01/2002
						To:	33-1008 Bernard Rd										
(649)	0.63	1600	R			From:	SR 40 EAST								NA	NA	07/01/2002
						To:	Dead End										
(650)	0.60	70	R			From:	33-602								NA	NA	1999
						To:											
(651)	0.36	40	R			From:	Pittsylvania County Line								NA	NA	06/24/2002
						To:	33-620 Campbell Rd										
(651)	2.76	110	R			From:	33-629								NA	NA	06/24/2002
						To:	33-646 Doe Run Rd										
(652) Circle Creek	2.76	300	R			From:	33-890								NA	NA	06/24/2002
						To:	33-625 Danbury Rd										
(652) Circle Creek	3.72	240	R			From:	33-620 Campbell Rd								NA	NA	06/24/2002
						To:											
(652) Circle Creek	0.42	220	R			From:	Pittsylvania County Line								NA	NA	06/24/2002
						To:											
(653) Ellis Rd	0.99	240	R			From:	33-636								NA	NA	1999
						To:	33-675 Juniper Rd										
(653) Ellis Rd	0.60	80	R			From:	Dead End								NA	NA	1999
						To:											

Virginia Department of Transportation
Mobility Management Division

2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year		
						2Axle	3+Axle	1Trail	2Trail									
Franklin County																		
(654)	1.05	1200	R			From:	33-616 Morewood Rd								NA	NA	1999	
(654)	0.41	450	R			To:	33-1345 Anchor Dr								NA	NA	1999	
(654)	0.31	400	R			To:	33-1339 Leeward Dr								NA	NA	1999	
(654)	0.11	160	R			From:	33-1360 Lanyard Lane								NA	NA	1999	
(655)	3.57	1100	G			98%	1%	1%	0%	1%	0%	C	0.107	F	0.722	1100	G	2004
(655)	1.71	420	R			From:	SR 40								NA	NA	1999	
(655)						To:	33-834 Brooks Mill Rd								NA	NA	1999	
(656) Deer Trail Rd	1.00	60	R			From:	Dead End								NA	NA	06/05/2002	
(656)						To:	Henry County Line								NA	NA	06/05/2002	
(657) Crowell Gap Rd	0.18	170	R			From:	33-607 Fairfield Rd								NA	NA	07/10/2002	
(657)						To:	SR 116; 33-975								NA	NA	07/10/2002	
(657) Crowell Gap Rd	0.69	260	R			From:	33-974 Millwood Rd								NA	NA	07/10/2002	
(657)						To:	33-635								NA	NA	07/10/2002	
(657) Crowell Gap Rd	0.05	100	R			From:	0.05 MW 33-635								NA	NA	07/10/2002	
(657)						To:	33-684 EAST								NA	NA	07/10/2002	
(657) Crowell Gap Rd	1.76	100	R			From:	33-684 WEST								NA	NA	07/10/2002	
(657)						To:	0.05 MW 33-684 W								NA	NA	07/08/2002	
(657) Crowell Gap Rd	0.81	60	R			From:	Roanoke County Line								NA	NA	07/08/2002	
(657)						To:	Dead End								NA	NA	07/08/2002	
(658) Listening Hill Rd	0.67	30	R			From:	Dead End								NA	NA	06/26/2002	
(658)						To:	0.67 MN Dead End								NA	NA	06/26/2002	
(658) Listening Hill Rd	0.50	70	R			From:	33-912 Blacksmith Rd								NA	NA	06/26/2002	
(658)						To:	33-946 Novelty Rd								NA	NA	06/26/2002	
(659)	2.05	80	R			From:	33-890								NA	NA	06/26/2002	
(659)						To:	33-912 Blacksmith Rd								NA	NA	06/26/2002	
(659)	1.42	50	R			From:	33-946 SOUTH								NA	NA	06/26/2002	
(659)						To:	33-946 NORTH								NA	NA	06/26/2002	
(659)	0.38	30	R			From:	SR 40								NA	NA	06/26/2002	
(659)						To:	33-647 Kay Fork								NA	NA	06/26/2002	
(660)	0.23	260	R			From:	SR 40 E; 33-626 S								NA	NA	06/26/2002	
(660)						To:	SR 40 WEST								NA	NA	1999	
(660)	0.10	920	R			From:	33-946 Novelty Rd								NA	NA	1999	
(660)						To:	33-920 Morgans Fork Rd								NA	NA	1999	

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Franklin County																
(660)	0.29	40	R			From:	33-920 Morgans Fork Rd					NA		NA	06/26/2002	
(660)	0.60	3	R			To:	33-647 Kay Fork					NA		NA	06/26/2002	
						To:	Dead End									
(661) Berger Loop	0.17	560	R			From:	SR 40					NA		NA	1999	
						To:	33-945 Kemp Ford Rd									
(662)	1.00	70	R			From:	33-673 Jacks Mountain Rd					NA		NA	06/19/2002	
						To:	1.00 MN 33-673									
(662)	1.70	190	R			From:	1.00 MN 33-6736					NA		NA	06/19/2002	
						To:	33-794 Edwardsway Rd									
(662)	0.23	40	R			To:	SR 40 WEST					NA		NA	06/19/2002	
						From:	SR 40 EAST									
(662)	1.80	200	R									NA		NA	1999	
						To:	33-840 Dove Rd									
(662)	0.55	70	R			From:	33-840 Dove Rd					NA		NA	1999	
						To:	Dead End									
(663)	2.57	900	G	94%	1%	2%	1%	2%	0%	C	0.094	F	0.629	920	G	2004
						From:	33-945 Kemp Ford Rd									
(663)	0.37	480	R			To:	33-1101 Belle Isle Rd					NA		NA	1999	
						From:	33-957 Dillards Hill Rd									
(663)	0.70	170	R			To:	33-1109 WEST					NA		NA	1999	
						From:	Dead End									
(664) Hicks Hollow Rd	0.75	20	R			From:	Dead End					NA		NA	05/28/2002	
						To:	33-726									
(665) Mallard Point Rd	1.84	270	R			From:	33-670 Burnt Chimney Rd					NA		NA	1999	
						To:	Cul-de-Sac									
(666) Merriman Way Rd	0.70	1000	R			From:	SR 122					NA		NA	1999	
						To:	33-950 Dovetail Rd									
(666) Merriman Way Rd	0.08	700	R			From:	33-978 Oak Grove Dr					NA		NA	1999	
						To:	33-948									
(666) Merriman Way Rd	0.41	500	R			From:	33-948					NA		NA	1999	
						To:	Dead End									
(667) Bremble Dr	1.40	400	R			From:	33-616 Morewood Rd					NA		NA	1999	
						To:	33-1335 Beechwood Circle									
(667) Bremble Dr	0.06	150	R			From:	33-1338 Dogwood Lane					NA		NA	1999	
						To:	33-1336									
(667) Bremble Dr	0.05	100	R			From:	33-1336					NA		NA	1999	
						To:	Dead End									

Virginia Department of Transportation
Mobility Management Division

2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Franklin County																	
(668)	0.77	400	R			From:	33-944 Crafts Ford Rd								NA	NA	1999
(668)	1.52	910	R			To:	33-670 Burnt Chimney Rd							NA	NA	1999	
(668)	1.24	500	R			From:	33-833 Lovely Valley Rd							NA	NA	1999	
(668)						To:	33-616 Morewood Rd										
(669) Hermitage Rd	0.80	210	R			From:	Dead End							NA	NA	1999	
(669)						To:	33-944 Crafts Ford Rd										
(670)	1.19	3300	G	98%	0%	1%	0%	0%	0%	C	0.095	F	0.634	3300	G	2004	
(670)	3.23	2300	G	98%	0%	1%	0%	0%	0%	F	0.091	F	0.597	2400	G	2004	
(670)	3.29	2200	G	98%	0%	1%	0%	0%	0%	F	0.097	F	0.511	2300	G	2004	
(670) Burnt Chimney Rd	1.77	820	R			From:	33-944 Crafts Ford Rd							NA	NA	1999	
(670)						To:	33-1308										
(670) Burnt Chimney Rd	0.14	80	R			From:	Dead End							NA	NA	1999	
(671)	0.48	260	R			From:	SR 40							NA	NA	1995	
(671)	3.94	1100	G	97%	0%	2%	1%	1%	0%	C	0.1	F	0.6	1100	G	2004	
(672)	0.40	0	R			From:	33-900							NA	NA	07/08/2002	
(672)	1.00	150	R			To:	0.40 MN 33-900							NA	NA	1999	
(672)						From:	33-670 WEST										
(672)						To:	33-670 EAST										
(672)	1.15	20	R			From:	Dead End							NA	NA	07/08/2002	
(673) Jacks Mountain Rd	3.15	30	R			From:	33-646 Doe Run Rd							NA	NA	06/19/2002	
(673) Jacks Mountain Rd	0.50	80	R			From:	3.15 MN 33-646							NA	NA	1995	
(673) Jacks Mountain Rd	2.54	200	R			To:	33-662							NA	NA	06/19/2002	
(673) Jacks Mountain Rd						From:	SR 40 WEST										
(673) Jacks Mountain Rd	1.80	70	R			To:	SR 40 EAST										
(673)						From:	33-834 Brooks Mill Rd										
(674)	0.52	3300	G	98%	0%	1%	0%	1%	0%	C	0.098	F	0.648	3300	G	2004	
(674)	0.28	2900	G	98%	0%	1%	0%	1%	0%	F	0.106	F	0.571	3000	G	2004	
(674)	0.98	2200	G	98%	0%	1%	0%	1%	0%	F	0.114	F	0.581	2200	G	2004	
(674)	1.69	1000	G	98%	0%	1%	0%	1%	0%	F	0.111	F	0.570	1000	G	2004	
(674)	2.37	680	G	98%	0%	1%	0%	1%	0%	F	0.107	F	0.655	690	G	2004	
(674)						To:	33-646 Doe Run Rd										

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year			
						2Axle	3+Axle	1Trail	2Trail									
Franklin County																		
(674)	0.40	90	R			From:	33-646 Doe Run Rd							NA	NA	06/19/2002		
(674)	0.20	10	R			To:	Dead End; Gap Terminus							NA	NA	06/19/2002		
(674)						From:	33-718; Gap Terminus							NA	NA			
(674)	2.53	450	R			From:	SR 40; Gap Terminus							NA	NA	1999		
(674)	1.18	320	R			To:	33-834 SOUTH							NA	NA	1999		
(674)						From:	33-834 NORTH							NA	NA			
(675) Juniper Rd	0.25	130	R			To:	Dead End							NA	NA	1999		
(675) Juniper Rd	0.41	100	R			From:	33-653 Ellis Rd							NA	NA	1999		
(676)	0.15	320	R			To:	33-1205 Deerpath Dr							NA	NA			
(676)						From:	Dead End							NA	NA			
(676)						From:	33-678							NA	NA	1999		
(676)						To:	33-636 SOUTH							NA	NA			
(676)	3.48	2300	G	98%	0%	From:	33-636 NORTH	1%	1%	1%	0%	C	0.094	F	0.688	2400	G	2004
(677)						To:	33-634							NA	NA			
(677)	1.90	300	R			From:	33-636							NA	NA	1999		
(677)						To:	33-678 WEST							NA	NA			
(677)	1.03	240	R			From:	33-678 EAST							NA	NA	1999		
(677)						To:	33-1215							NA	NA			
(678)	0.44	50	R			From:	Cul-de-Sac							NA	NA	1999		
(678)						From:	SR 116							NA	NA			
(678)	3.23	1000	G	97%	0%	From:	1%	0%	0%	1%	0%	C	0.096	F	0.709	1000	G	2004
(678)						To:	33-679 EAST							NA	NA			
(678)	2.53	500	R			From:	33-680 Edwardsville Rd							NA	NA	07/08/2002		
(678)	0.85	930	G	97%	0%	From:	33-634 WEST	1%	0%	1%	0%	F	0.116	F	0.574	940	G	2004
(678)						To:	33-634 EAST							NA	NA			
(678)	1.71	240	R			From:	33-636 SOUTH							NA	NA	1999		
(678)						To:	33-636 NORTH							NA	NA			
(678)	0.14	60	R			From:	33-676							NA	NA	1999		
(678)	1.17	340	R			From:	33-676							NA	NA	1999		
(678)	1.11	320	R			From:	33-677 EAST							NA	NA	1999		
(678)						To:	33-1204							NA	NA			
(678)	0.20	250	R			From:	33-1204							NA	NA	1999		
(678)	0.25	180	R			To:	33-1206 Indian Run Trail							NA	NA	1999		
(678)						From:	33-1201							NA	NA			
(678)	0.20	0	R			To:	Smith Mountain Lake							NA	NA	07/08/2002		
(679) Charlie Rd	0.60	50	R			From:	Dead End							NA	NA	07/08/2002		
(679) Charlie Rd						To:	33-678 WEST							NA	NA			

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck					QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail								
Franklin County																	
(679)	1.13	810	G	97%	0%	2%	0%	1%	0%	From: 33-678 EAST	C	0.105	F	0.511	830	G	2004
(679) Charlie Rd	0.43	420	R	From:	33-680 Edwardsville Rd					To: 33-1530 Kristen Forest Rd					NA	NA	1999
(679) Charlie Rd	2.53	300	R	From:	33-634					To: 33-678					NA	NA	1999
(680)	1.21	1000	G	98%	0%	1%	0%	1%	0%	From: 33-678	C	0.1	F	0.559	1000	G	2004
(680) Edwardsville Rd	1.10	430	R	From:	33-679 Charlie Rd					To: 33-635					NA	NA	1999
(681)	5.08	790	G	99%	0%	1%	0%	0%	0%	From: SR 116; Roanoke County Line	C	0.119	F	0.74	810	G	2004
(682) Mountain Valley Rd	2.20	90	R	From:	SR 116					To: 33-681					NA	NA	07/08/2002
(683) Old Brook Rd	0.10	10	R	From:	33-634					To: Dead End					NA	NA	07/08/2002
Town of Boones Mill																	
(684)	0.62	2200	G	98%	0%	1%	1%	0%	0%	From: US 220	C	0.096	F	0.661	2200	G	2004
(684)	1.65	1400	G	98%	0%	1%	1%	0%	0%	To: ECL Boones Mill							
(684)	4.51	600	G	98%	0%	1%	1%	0%	0%	From: 33-686	F	0.101	F	0.697	1500	G	2004
(684)	0.27	40	R	From:	SR 116					To: Dead End					NA	NA	06/05/2002
(685)	2.55	140	R	From:	33-781 King Richard Rd					To: 33-684					NA	NA	07/10/2002
(686)	0.80	170	R	From:	33-687 Alean Rd					To: 33-698 Kin Vale Rd					NA	NA	07/10/2002
(687) Alean Rd	1.65	270	R	From:	33-697 Brick Church Rd					To: 33-689					NA	NA	07/10/2002
(687) Alean Rd	2.61	580	R	From:	33-689					To: 33-686					NA	NA	07/10/2002
(687) Alean Rd	1.02	500	R	From:	33-686					To: 33-684					NA	NA	07/10/2002
(688) Landmark Rd	1.43	120	R	From:	33-689					To: SR 116 NORTH					NA	NA	07/10/2002
(688) Landmark Rd	0.35	270	R	From:	SR 116 SOUTH					To: 33-972 Landmark Rd					NA	NA	07/08/2002
(688) Landmark Rd	2.20	730	R	From:	33-678					To: 33-678					NA	NA	07/08/2002

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Franklin County															
(689)	0.04	520	R			From:	33-687 Alean Rd				NA		NA	NA	07/10/2002
(689)	0.77	500	R			To:	33-917 Montgomery Rd				NA		NA	NA	07/10/2002
(689)	1.15	190	R			From:	33-688 Landmark Rd				NA		NA	NA	07/10/2002
(690)	0.78	30	R			To:	SR 116				NA		NA	NA	06/05/2002
(691)	0.60	90	R			From:	33-767				NA		NA	NA	1999
(691)	0.60	770	R			To:	Dead End				NA		NA	NA	07/10/2002
(691)	1.50	500	R			From:	33-919				NA		NA	NA	07/10/2002
(691)	1.50	290	R			To:	US 220 NORTH				NA		NA	NA	07/10/2002
(691)	1.93	290	R			From:	US 220 SOUTH				NA		NA	NA	07/10/2002
(691)	1.50	80	R			To:	33-9228 EAST				NA		NA	NA	07/10/2002
(691)	1.84	120	R			From:	33-692 SOUTH				NA		NA	NA	07/10/2002
(691)	0.26	700	R			To:	33-635 SOUTH				NA		NA	NA	07/10/2002
(691)	0.10	400	R			From:	33-635 NORTH				NA		NA	NA	07/10/2002
(692)	1.88	310	R			To:	33-687 Alean Rd				NA		NA	NA	07/10/2002
(692)	0.38	120	R			From:	33-697 Brick Church Rd				NA		NA	NA	07/10/2002
(692)	0.68	260	R			To:	33-700 Kent Rd				NA		NA	NA	07/10/2002
(692)	0.42	140	R			From:	33-856				NA		NA	NA	07/10/2002
(692)	1.29	310	R			To:	33-691 SOUTH				NA		NA	NA	07/10/2002
(692)	0.70	45	R			From:	33-691 NORTH				NA		NA	NA	07/10/2002
(693) Green Level Rd	2.60	130	R			To:	33-739 MID				NA		NA	NA	1999
(693) Green Level Rd	1.29	310	R			From:	33-739 SOUTH				NA		NA	NA	1999
(693) Green Level Rd	0.67	650	R			To:	33-728 Leaning Oak Rd				NA		NA	NA	1999
(693) Green Level Rd	0.30	20	R			From:	33-1225 Little Mountain Dr				NA		NA	NA	05/30/2002
(694) House Rock Rd	0.60	40	R			To:	US 220				NA		NA	NA	1999
(694) House Rock Rd	0.30	20	R			From:	Dead End				NA		NA	NA	05/30/2002
(694) House Rock Rd	0.60	40	R			To:	0.30 ME Dead End				NA		NA	NA	1999
(694) House Rock Rd	0.60	40	R			From:	33-693 Green Level Rd				NA		NA	NA	1999

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck					QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Franklin County																	
(695) Isolane Rd	0.95	90	R			From: Dead End						NA			NA		05/30/2002
						To: 33-640 Five Mile Mountain Rd											
(696)	0.40	40	R			From: Dead End						NA			NA		1999
						To: 33-697 Brick Church Rd											
(697) Brick Church Rd	2.26	520	R			From: 33-731 Dugwell Rd						NA			NA		1999
						To: 33-710											
(697) Brick Church Rd	0.46	790	R			From: US 220 WEST						NA			NA		1999
						To: US 220 EAST											
(697)	0.61	3300	G	95%	1%	1%	2%	2%	0%		C	0.091	F	0.663	3300	G	2004
						To: 33-692											
(697)	0.89	3200	G	95%	0%	1%	2%	2%	0%		F	0.089	F	0.716	3300	G	2004
						To: 33-635											
(697)	3.69	2900	G	95%	0%	1%	2%	2%	0%		C	0.095	F	0.588	3000	G	2004
						To: SR 122											
(698) Kin Vale Rd	0.38	200	R			From: 33-699						NA			NA		07/10/2002
						To: 33-687 Alean Rd											
(698) Kin Vale Rd	1.28	40	R			From: 1.28 ME 33-687						NA			NA		07/10/2002
						To: 1.28ME 33-687											
(698) Kin Vale Rd	0.32	40	R			From: Dead End						NA			NA		07/10/2002
						To: Dead End											
(699)	0.26	60	R			From: Dead End						NA			NA		07/01/2002
						To: 33-644 Flint Hill Rd											
(699)	0.05	90	R			From: SR 122						NA			NA		07/01/2002
						To: 33-698 Kin Vale Rd											
(699)	1.79	420	R			From: 33-698 Kin Vale Rd						NA			NA		07/10/2002
						To: 33-697 Brick Church Rd											
(700) Kent Rd	0.80	210	R			From: 33-692						NA			NA		07/10/2002
						To: 33-635											
(701) Foggy Ridge Rd	1.45	210	R			From: Dead End						NA			NA		1999
						To: 33-775											
(702) Farm View Rd	0.24	490	R			From: 33-671						NA			NA		07/01/2002
						To: 33-704 Greenway Rd											
(702) Farm View Rd	1.10	380	R			From: 33-815						NA			NA		07/01/2002
						To: 1.01 MN 33-815											
(702) Farm View Rd	1.01	120	R			From: 1.01 MN 33-815						NA			NA		07/01/2002
						To: 1.41 MN 33-815											
(702) Farm View Rd	0.40	120	R			From: 1.41 MN 33-815						NA			NA		07/01/2002
						To: 33-871 Longwood Rd											
(703) Ayers Rd	1.55	330	R			From: SR 40						NA			NA		1999
						To: 33-655											

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Franklin County															
(704) Greenway Rd	1.02	120	R			From: 33-705 Chestnut Hill					NA		NA	NA	07/01/2002
						To: 33-702 Farm View Rd									
(705) Chestnut Hill	2.55	1100	R			From: 33-674					NA		NA	NA	06/19/2002
						To: 33-714									
(705) Chestnut Hill	1.00	1300	R			From: SR 40					NA		NA	NA	06/19/2002
						To: 33-704 Greenway Rd									
(705) Chestnut Hill	0.35	40	R			From: Dead End					NA		NA	NA	07/01/2002
						To: SR 40									
(706)	0.80	90	R			From: Dead End					NA		NA	NA	07/01/2002
						To: Ramp From US 220									
(707)	2.25	400	R			From: 33-832 Ledbetter Rd					NA		NA	NA	06/19/2002
						To: Dead End; Gap Terminus									
(707)	0.70	40	R			From: 33-674 Gap Terminus					NA		NA	NA	06/19/2002
						To: 33-803 Edgewood Rd									
(707)	1.75	250	R			From: 33-619 Fanny Cook Rd					NA		NA	NA	06/17/2002
						To: Dead End									
(708)	1.22	480	R			From: Dead End					NA		NA	NA	06/17/2002
						To: 33-919									
(708)	0.90	80	R			From: 33-641					NA		NA	NA	05/30/2002
						To: 33-734									
(709)	0.22	380	R			From: 33-919					NA		NA	NA	1999
						To: 33-812 Jamestown Rd									
(709)	3.08	500	R			From: Dead End					NA		NA	NA	1999
						To: 33-697 Brick Church Rd									
(710)	0.40	90	R			From: Dead End					NA		NA	NA	1999
						To: 33-616 Morewood Rd									
(711)	0.65	180	R			From: Dead End					NA		NA	NA	1999
						To: 33-616 Morewood Rd									
(712) Natures Own Rd	0.78	140	R			From: Dead End					NA		NA	NA	05/30/2002
						To: 33-748									
(713) Natures Own Rd	2.13	760	R			From: Dead End					NA		NA	NA	06/19/2002
						To: ECL Rocky Mount									
(714)	0.40	40	R			From: Dead End					NA		NA	NA	06/19/2002
						To: 33-705 Chestnut Hill									
(715) Chestnut Mountain	1.17	90	R			From: 33-718					NA		NA	NA	06/19/2002
						To: 33-931 Fralins Rd									

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Franklin County															
(715) Chestnut Mountain	0.75	20	R			From:	33-931 Fralins Rd					NA		NA	06/19/2002
(715) Chestnut Mountain	3.14	10	R			To:	0.75 ME 33-931					NA		NA	06/19/2002
(716) Copperfield Rd	0.31	10	R			To:	33-646 Doe Run Rd					NA		NA	07/10/2002
(716) Copperfield Rd	0.26	10	R			From:	33-697 Brick Church Rd					NA		NA	07/10/2002
(717)	1.30	160	R			To:	Dead End; Gap Terminus					NA		NA	06/17/2002
(717)						From:	33-890					NA		NA	06/17/2002
(717)						To:	33-632					NA		NA	
(718)	0.53	320	R			From:	33-761 Canton Church Rd					NA		NA	1999
(718)						To:	33-608 SOUTH					NA		NA	
(718)	2.17	230	R			From:	33-608 NORTH					NA		NA	1999
(718)						To:	33-724 Goose Dam Rd					NA		NA	
(718)	0.73	400	R			From:	US 220 SOUTH					NA		NA	1999
(718)						To:	US 220 NORTH					NA		NA	
(718)	6.36	210	R			To:	33-619 SOUTH					NA		NA	06/17/2002
(718)						From:	33-619 NORTH					NA		NA	
(718)	1.74	1200	G	95%	0%	2%	1%	1%	1%	0%	F	0.117	F	0.719	1200
(718)						To:	33-721					NA		NA	2004
(718)	3.44	610	G	95%	0%	2%	1%	1%	1%	0%	F	0.117	F	0.504	620
(718)						From:	33-646 NORTH					NA		NA	
(718)	2.33	2100	G	95%	0%	2%	1%	1%	1%	0%	C	0.101	F	0.651	2200
(718)						To:	SR 40					NA		NA	2004
(719) Fawndale Rd	0.52	40	R			From:	33-609 Country Ridge Rd					NA		NA	06/11/2002
(719)						To:	33-608 Fork Mountain Rd					NA		NA	
(720) English Rd	2.19	160	R			From:	33-721					NA		NA	06/17/2002
(720)						To:	33-674					NA		NA	
(721)	1.30	20	R			From:	33-707					NA		NA	06/17/2002
(721)						To:	33-803 Edgewood Rd					NA		NA	
(721)	1.00	100	R			From:	33-720 English Rd					NA		NA	06/17/2002
(721)						To:	33-718					NA		NA	
(722) Beulah Rd	2.68	110	R			From:	33-619 Fanny Cook Rd					NA		NA	06/17/2002
(722)						To:	33-803 Edgewood Rd					NA		NA	
(723) Lucy Wade Rd	1.82	140	R			From:	33-619 Fanny Cook Rd					NA		NA	06/17/2002
(723)						To:	33-803 Edgewood Rd					NA		NA	
(724) Goose Dam Rd	2.46	80	R			From:	33-718					NA		NA	1999
(724)						To:	US 220					NA		NA	
(724) Goose Dam Rd	0.82	590	R			From:	33-810 SOUTH					NA		NA	06/17/2002
(724)						To:	33-810 SOUTH					NA		NA	

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Franklin County															
(724) Goose Dam Rd	1.35	380	R			From:	33-810 SOUTH				NA		NA	NA	06/17/2002
(724) Goose Dam Rd	1.63	400	R			To:	33-827				NA		NA	NA	06/17/2002
(725) Henry Church Rd	0.16	10	R			From:	Henry County Line				NA		NA	NA	1999
(726)	1.35	110	R			To:	Dead End				NA		NA	NA	1999
(726)	3.50	90	R			From:	33-643				NA		NA	NA	1999
(726)	1.10	200	R			To:	33-744				NA		NA	NA	1999
(726)						From:	33-664 Hicks Hollow Rd				NA		NA	NA	1999
(727)	1.93	70	R			To:	33-613				NA		NA	NA	06/05/2002
(727)	0.61	100	R			From:	Dead End				NA		NA	NA	1999
(728) Leaning Oak Rd	2.05	46	R			To:	33-894 Johnson Hill Rd				NA		NA	NA	05/30/2002
(729) Larry Dale Rd	0.25	20	R			From:	33-739				NA		NA	NA	05/28/2002
(730) Dans Rd	1.63	80	R			To:	33-730 Dans Rd				NA		NA	NA	1999
(730) Dans Rd						From:	33-735				NA		NA	NA	1999
(731) Dugwell Rd	0.50	20	R			To:	Dead End				NA		NA	NA	05/28/2002
(731) Dugwell Rd	1.20	500	R			From:	33-641				NA		NA	NA	1999
(731) Dugwell Rd	0.45	210	R			To:	33-697 Brick Church Rd				NA		NA	NA	1999
(732) Blankenship Rd	0.60	20	R			To:	33-735				NA		NA	NA	05/28/2002
(732) Blankenship Rd	0.20	90	R			From:	Dead End				NA		NA	NA	05/28/2002
(732) Blankenship Rd						To:	0.60 MW of Dead End				NA		NA	NA	05/28/2002
(733) Nursery Rd	1.05	80	R			From:	33-731 Dugwell Rd				NA		NA	NA	1999
(733) Nursery Rd						To:	33-735				NA		NA	NA	1999
(734)	4.06	510	R			From:	33-643				NA		NA	NA	1999
(734)						To:	33-641 EAST				NA		NA	NA	1999
(734)	1.55	100	R			From:	33-641 WEST				NA		NA	NA	1999
(735)	0.90	100	R			To:	33-735				NA		NA	NA	1999
(735)	1.07	70	R			From:	33-643				NA		NA	NA	1999
(735)						To:	33-851 Bowman Rd				NA		NA	NA	1999
(735)						From:	33-734				NA		NA	NA	1999

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Franklin County																
(735)	1.60	200	R			From:	33-734							NA	NA	1999
(735)	1.25	320	R			To:	33-731 Dugwell Rd							NA	NA	1999
(736) Madcap Rd	2.70	60	R			From:	33-756							NA	NA	1999
(737)	2.93	170	R			To:	33-737							NA	NA	1999
(737)	0.45	270	R			From:	33-641							NA	NA	1999
(737)	1.10	230	R			To:	33-736 Madcap Rd							NA	NA	1999
(738) Custers Ridge Rd	2.90	180	R			From:	33-643 WEST							NA	NA	1999
(739)	0.60	310	R			To:	33-643 EAST							NA	NA	1999
(739)	0.87	210	R			From:	33-734							NA	NA	1999
(739)	2.94	520	G			From:	33-742							NA	NA	1999
(739)	1.20	1400	G			To:	33-602							NA	NA	1999
(739)	4.64	1900	G			From:	33-740 Algoma Rd							NA	NA	1999
(739)	0.02	1900	N			To:	33-742 WEST							NA	NA	1999
(739)	0.16	2800	G			From:	33-643 SOUTH							F 0.11	F 0.633	530 G 2004
(739)	3.83	420	R			To:	33-986 Mockingbird Rd							F 0.092	F 0.696	1400 G 2004
(739)	3.33	160	R			From:	WCL Boones Mill							F 0.098	F 0.87	2000 G 2004
Town of Boones Mill																
(739)	0.97	1900	N			From:	WCL Boones Mill							N 0.098	N 0.87	2000 N 2004
(739)	0.16	2800	G			To:	33-1609 Oakwood Dr							C 0.101	F 0.821	2800 G 2004
(739)	0.16	2800	G			From:	US 220									
Franklin County																
(740) Algoma Rd	1.75	200	R			From:	33-739							NA	NA	1999
(740) Algoma Rd	2.15	280	R			To:	33-742							NA	NA	1999
(741) Flanders Rd	0.65	20	R			From:	33-641							NA	NA	05/28/2002
(742)	3.83	420	R			To:	Dead End							NA	NA	1999
(742)	3.33	160	R			From:	33-641							NA	NA	1999
(742)	3.20	60	R			To:	33-739 EAST							NA	NA	1999
(743) London Ridge Rd	0.45	110	R			From:	33-739 WEST							NA	NA	1999
(743)	3.33	160	R			To:	33-643 SOUTH							NA	NA	1999
(743)	3.20	60	R			From:	33-643 NORTH							NA	NA	1999
(743)	3.83	420	R			To:	33-739							NA	NA	1999
(743)	0.45	110	R			From:	33-739							NA	NA	1999
(743)	3.33	160	R			To:	33-742							NA	NA	1999

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Franklin County															
(744)	2.20	40	R			From:	33-643					NA		NA	05/28/2002
(744)	0.90	30	R			To:	2.20 MN 33-643					NA		NA	1999
(745) Dillons Mill Rd	0.96	120	R			From:	33-643					NA		NA	1999
						To:	Dead End								
(746)	0.50	60	R			From:	33-642 Foothills Rd					NA		NA	05/30/2002
						To:	Dead End								
(747) Hempfield Rd	0.70	30	R			From:	33-748					NA		NA	05/30/2002
						To:	33-642 Foothills Rd								
(748)	1.35	400	R			From:	33-602					NA		NA	1999
						To:	33-747 Hempfield Rd								
(748)	1.25	230	R			To:	33-640 NORTH					NA		NA	1999
						From:	33-640 SOUTH								
(748)	4.15	150	R									NA		NA	1999
						To:	33-752								
(748)	1.66	260	R			From:	33-712 Natures Own Rd					NA		NA	1999
						To:	SR 40 WEST								
(748)	0.20	430	R			From:	SR 40 EAST					NA		NA	1999
						To:	Dead End								
(749) Lawrence Rd	0.50	20	R			From:	33-652 Circle Creek					NA		NA	06/24/2002
						To:	33-640 Five Mile Mountain Rd								
(750)	2.81	100	R			From:	33-752					NA		NA	1999
						To:	33-602								
(751)	1.05	40	R			From:	33-752 NORTH					NA		NA	1999
						To:	33-752 SOUTH								
(751)	1.20	80	R			From:	33-750 SOUTH					NA		NA	1999
						To:	33-750 NORTH								
(751)	0.30	10	R			From:	33-640 Five Mile Mountain Rd					NA		NA	05/30/2002
						To:	SR 40; 33-781								
(752)	2.50	370	R			From:	33-751					NA		NA	1999
						To:	33-602								
(753)	1.00	40	R			From:	Dead End					NA		NA	1999
						To:	33-830 Mills Rd								
(754) Falcon Ridge	1.14	480	R			From:	33-756					NA		NA	1999
						To:	33-863 NORTH								
(754) Falcon Ridge	1.77	640	R			From:	SCL Rocky Mount					NA		NA	1999
						To:									

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Franklin County																	
(755) Clark	0.55	30	R			From:	33-619 Fanny Cook Rd								NA	NA	06/11/2002
						To:	US 220										
(756)	4.90	570	G	96%	2%	2%	0%	0%	0%	C	0.110	F	0.524	580	G	2004	
						From:	33-641										
(756)	2.63	400	R			From:	33-640 Five Mile Mountain Rd								NA	NA	1999
						To:	33-802 Old Carolina Rd										
(756)	0.56	470	R			From:	SR 40 W; 33-619								NA	NA	1999
						To:	SR 40 EAST										
(756)	1.25	310	R			From:	33-754 Falcon Ridge								NA	NA	1999
						To:	33-863 Davis Mill Rd								NA	NA	1999
(756)	0.38	560	R			From:	33-619 NORTH								NA	NA	1999
						To:	33-619 SOUTH										
(756)	3.26	280	R			From:	US 220								NA	NA	1999
						To:	SR 40										
(757)	1.68	160	R			From:	33-607 NORTH								NA	NA	06/05/2002
						To:	33-607 SOUTH										
(757)	0.25	20	R			From:	Dead End								NA	NA	06/05/2002
						To:	33-684										
(758) Crooked Run	0.90	10	R			From:	33-684								NA	NA	07/10/2002
						To:	33-684										
(759)	1.38	60	R			From:	33-608 Fork Mountain Rd								NA	NA	1999
						To:	33-718										
(760)	0.70	290	R			From:	33-605								NA	NA	1999
						To:	33-761 Canton Church Rd										
(761) Canton Church Rd	1.03	650	R			From:	33-605								NA	NA	1999
						To:	33-845 Briar Ridge Rd										
(761) Canton Church Rd	0.70	260	R			From:	33-718								NA	NA	1999
						To:	33-880 Mayfield Lane										
(761) Canton Church Rd	1.45	47	R			From:	33-607 Fairfield Rd								NA	NA	06/11/2002
						To:	33-607 Fairfield Rd										
(762)	0.86	360	R			From:	33-607 Fairfield Rd								NA	NA	1999
						To:	33-608 Fork Mountain Rd										
(762)	1.61	540	R			From:	33-619 Fanny Cook Rd								NA	NA	1999
						To:	33-674										
(763)	0.20	30	R			From:	Dead End								NA	NA	06/26/2002
						To:	33-606										
(764) Carver Lee Rd	0.92	90	R			From:	33-766 Beech Mountain Rd								NA	NA	1999
						To:											

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Franklin County																	
(764) Carver Lee Rd	1.92	30	R			From: 33-766 Beech Mountain Rd									NA	NA	06/05/2002
						To: 33-607 Fairfield Rd											
(765) Alumine Rd	0.20	50	R			From: 33-605									NA	NA	1999
						To: Dead End											
(766) Beech Mountain Rd	3.44	90	R			From: 33-764 Carver Lee Rd									NA	NA	06/05/2002
						To: 33-606											
(766) Beech Mountain Rd	0.70	20	R			From: 33-811 Frying Pan Hollow Rd									NA	NA	06/05/2002
						To: SR 40											
(767)	3.11	430	G	97%	0%	2%	1%	0%	0%	F	0.117	F	0.653	440	G	2004	
						To: 33-690											
(767)	3.07	590	G	97%	0%	2%	1%	0%	0%	C	0.111	F	0.522	600	G	2004	
						To: 33-805											
(768) Lighthaven Rd	0.70	100	R			From: 33-605									NA	NA	1999
						To: 33-770											
(768) Lighthaven Rd	0.07	30	R			From: 33-771									NA	NA	1999
						To: 33-904 Cannaday Rd											
(768) Lighthaven Rd	1.53	0	R			From: 33-767									NA	NA	06/05/2002
						To: 33-770											
(769)	0.32	30	R			From: Dead End									NA	NA	06/05/2002
						To: 33-768 Lighthaven Rd											
(770)	2.50	60	R			From: 33-769									NA	NA	1999
						To: 33-768 Lighthaven Rd											
(771)	1.60	0	R			From: 33-767; 33-837								NA	NA	06/05/2002	
						To: 33-903 Horseshoe Point Rd											
(772)	1.45	100	R			From: 33-605									NA	NA	06/03/2002
						To: 33-837 Marshall Hill Rd											
(772)	2.53	70	R			From: 33-865									NA	NA	06/03/2002
						To: Dead End											
(773)	0.58	120	R			From: 33-798 Knob Church Rd									NA	NA	1999
						To: Dead End											
(774) Moyerwood Rd	0.60	110	R			From: 33-709									NA	NA	1999
						To: 33-919											
(775)	3.59	660	G	95%	1%	1%	2%	0%	0%	C	0.104	F	0.5	670	G	2004	
						To: US 220											
(775)	0.43	790	G	99%	0%	0%	0%	0%	0%	C	0.115	F	0.755	800	G	2004	
						To: 33-697 Brick Church Rd											

Virginia Department of Transportation
Mobility Management Division

2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Franklin County															
(776)	0.49	30	R			From: Dead End					NA		NA		06/03/2002
						To: 33-798 Knob Church Rd									
(778) Nicholas Creek Rd	1.65	240	R			From: 33-780 Jamison Mill Rd					NA		NA		1999
						To: 33-605 WEST									
(778) Nicholas Creek Rd	2.99	250	R			From: 33-605 EAST					NA		NA		1999
						To: 33-623									
(779) Liberty Rd	0.40	50	R			From: SR 40					NA		NA		06/26/2002
						To: Pittsylvania County Line									
(780) Jamison Mill Rd	0.12	110	R			From: Dead End					NA		NA		1999
						To: 33-778 Nicholas Creek Rd									
(780) Jamison Mill Rd	1.96	50	R			From: 33-605					NA		NA		1999
(781) King Richard Rd	3.00	100	R			From: SR 40; 33-752					NA		NA		1999
						To: 33-623 EAST									
(781) King Richard Rd	0.27	300	R			From: 33-623 WEST					NA		NA		1999
						To: 33-685									
(781) King Richard Rd	0.73	230	R			From: 33-865					NA		NA		1999
						To: 33-890									
(782) Ashworth Rd	0.36	150	R			From: Pittsylvania County Line					NA		NA		06/26/2002
						To: Dead End									
(783) Endicott Hill Rd	1.20	30	R			From: SR 40					NA		NA		06/03/2002
						To: 33-623									
(784)	1.04	80	R			From: 33-781 King Richard Rd					NA		NA		1999
						To: SR 40									
(785) Johnnys Ridge Rd	4.04	80	R			From: Dead End					NA		NA		1999
						To: SR 40									
(786) Beards Creek Rd	1.31	60	R			From: SR 40					NA		NA		06/05/2002
						To: 33-605									
(787)	0.40	20	R			From: Dead End					NA		NA		06/03/2002
						To: 33-788									
(788)	2.88	360	R			From: 33-623					NA		NA		1999
						To: SR 40 WEST									
(788)	2.50	320	R			From: SR 40 EAST; 33-605					NA		NA		1999
						To: 33-857									
(788)	1.65	160	R			From: 33-789					NA		NA		1999
						To: 33-748									
(789)	2.60	40	R			From: Dead End					NA		NA		1999
						To: 33-895									
(789)	1.78	1	R			From: Dead End					NA		NA		06/03/2002
						To: 33-895									

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Franklin County															
(789)	0.60	80	R			From:	33-895					NA		NA	1999
(789)	3.48	50	R			To:	SR 40					NA		NA	1999
(789)						To:	33-788								
(790)	0.75	40	R			From:	33-890					NA		NA	06/24/2002
(790)	0.25	0	R			To:	33-899					NA		NA	06/24/2002
(791) Ashbrook Rd	0.42	90	R			From:	Dead End					NA		NA	06/17/2002
(791) Laurel Bluff Rd	1.90	20	R			To:	33-813								
(792)						From:	Floyd County Line					NA		NA	06/03/2002
(793)	2.00	30	R			To:	33-793								
(793)						From:	Floyd County Line					NA		NA	06/03/2002
(793)						To:	33-792 Laurel Bluff Rd								
(793)	0.80	100	R			From:	33-836					NA		NA	1999
(793)	1.31	140	R			To:	33-818 Hurds Branch Rd					NA		NA	1999
(793)	0.35	260	R			From:	33-807					NA		NA	1999
(793)	0.45	280	R			To:	SR 40					NA		NA	1999
(794) Edwardsway Rd	0.15	200	R			From:	SR 40; 33-819					NA		NA	06/19/2002
(794)						To:	33-662								
(795)	0.31	70	R			From:	33-640 Five Mile Mountain Rd					NA		NA	05/30/2002
(795)	0.11	60	R			To:	0.31 ME 33-640					NA		NA	1999
(797)						From:	SR 40								
(797)	0.08	0	R			To:	NCL Rocky Mount					NA		NA	05/30/2002
(798) Knob Church Rd	0.64	170	R			From:	Dead End								
(798) Knob Church Rd	1.04	240	R			To:	33-903 Horseshoe Point Rd					NA		NA	1999
(798) Knob Church Rd	1.48	480	R			From:	33-624					NA		NA	1999
(798) Knob Church Rd						To:	33-773								
(798) Knob Church Rd						From:	33-605					NA		NA	1999
(799) Meadow Branch Rd	0.27	60	R			To:	Dead End					NA		NA	1999
(800)						From:	33-613								
(800)	0.80	70	R			To:	Dead End					NA		NA	1999
(800)	0.10	200	R			From:	33-980					NA		NA	1999
(800)						To:	33-640 Five Mile Mountain Rd								

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year		
						2Axle	3+Axle	1Trail	2Trail									
Franklin County																		
(801) Chantilly Rd	1.00	80	R			From: Dead End									NA	NA	06/11/2002	
						To: 33-718												
(802) Old Carolina Rd	0.65	50	R			From: 33-756									NA	NA	1999	
						To: Dead End												
(803) Edgewood Rd	1.62	170	R			From: 33-707									NA	NA	06/17/2002	
						To: 33-721												
(804) Deepwoods Rd	2.48	180	R			From: 33-680 Edwardsville Rd									NA	NA	1999	
						To: 33-634												
(805)	0.35	60	R			From: 33-915									NA	NA	1999	
						To: 33-623												
(805)	0.18	2400	G			From: 98% 0% 1% 0% 0% 0%						C	0.094	F	0.581	2500	G	2004
						To: SR 40												
(806) Factory Hill Rd	2.14	260	R			From: 33-640 Five Mile Mountain Rd									NA	NA	1999	
						To: 33-756												
(807)	1.31	30	R			From: 33-793									NA	NA	06/03/2002	
						To: Dead End												
(808)	1.60	200	R			From: 33-739									NA	NA	1999	
						To: 33-738 Custers Ridge Rd												
(809) Museville Rd	0.95	170	R			From: 33-629									NA	NA	06/26/2002	
						To: Pittsylvania County Line												
(810)	2.17	40	R			From: 33-724 Goose Dam Rd									NA	NA	06/17/2002	
						To: 33-724 Goose Dam Rd												
(811) Frying Pan Hollow Rd	0.30	10	R			From: Dead End									NA	NA	06/05/2002	
						To: 33-766 Beech Mountain Rd												
(812) Jamestown Rd	0.94	350	R			From: 33-919									NA	NA	1999	
						To: 33-709												
(813)	0.13	180	R			From: 33-718									NA	NA	06/17/2002	
						To: 33-791 Ashbrook Rd												
(813)	1.37	80	R			From: Dead End									NA	NA	06/17/2002	
						To: Dead End												
(814) Goldmine Rd	1.52	210	R			From: Dead End									NA	NA	06/19/2002	
						To: 33-876 Byrds Mill Rd												
(815)	1.52	200	R			From: 33-702 Farm View Rd									NA	NA	07/01/2002	
						To: 33-671												
(816) Cassell Dr	0.41	130	R			From: US 220; 33-619									NA	NA	1999	
						To: 33-849 Blue Ridge Ct												
(816) Cassell Dr	0.29	100	R			From: Dead End									NA	NA	1999	

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Franklin County																	
(817) Chestnut Grove	0.85	48	R			From: Dead End									NA	NA	1999
						To: 33-602											
(818) Hurds Branch Rd	1.60	90	R			From: Dead End									NA	NA	1999
						To: 33-793											
(819) Buckscrepe Rd	1.30	150	R			From: SR 40; 33-794									NA	NA	1999
						To: 33-662											
(820)	0.63	440	G	96%	1%	3%	0%	0%	0%	C	0.125	F	0.632	440	G	2004	
						From: WCL Rocky Mount											
(820) Diamond Ave	0.50	170	R			From: 33-1012									NA	NA	1999
						To: Dead End											
(821) Calico Rock Rd	1.66	210	R			From: 33-640 Five Mile Mountain Rd									NA	NA	1999
						To: 33-643											
(822) Holland Rd	0.45	70	R			From: 33-742									NA	NA	05/28/2002
						To: Dead End											
(823) Marcus Rd	0.93	50	R			From: 33-718									NA	NA	06/17/2002
						To: Dead End											
(824) Murray Knob Rd	0.50	120	R			From: US 220									NA	NA	07/10/2002
						To: Dead End											
(825) Hillock Rd	0.50	40	R			From: Dead End									NA	NA	06/03/2002
						To: 33-637; 33-793											
(826) Golden View Rd	1.00	100	R			From: 33-671									NA	NA	1999
						To: Dead End											
(827)	0.30	50	R			From: Dead End									NA	NA	06/11/2002
						To: US 220 NORTH											
(827)	1.24	100	R			From: US 220 SOUTH									NA	NA	06/17/2002
						To: 33-724 Goose Dam Rd											
(828) Monty Rd	0.50	70	R			From: Dead End									NA	NA	1999
						To: 33-739											
(829) Cowans Furnace Rd	1.03	60	R			From: Dead End									NA	NA	06/19/2002
						To: 33-646 Doe Run Rd											
(830) Mills Rd	0.55	60	R			From: Dead End									NA	NA	1999
						To: 33-753											
(830) Mills Rd	0.03	100	R			From: Dead End									NA	NA	1999
						To: 33-602											
(831)	0.32	260	R			From: 33-663									NA	NA	1999
						To: 33-1115 Dodee Lane											
(831)	1.15	130	R			From: 33-877 Dudley Rd									NA	NA	1999
						To: 0.15 MW 33-877											

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck					QC	K Factor	QK	Dir Factor	AAWDT	QW	Year				
						2Axle	3+Axle	1Trail	2Trail												
Franklin County																					
(831)	0.45	20	R			From:	0.15 MW 33-877									NA	NA	1999			
						To:	Dead End														
(832) Ledbetter Rd	0.85	120	R			From:	33-707									NA	NA	06/19/2002			
						To:	SR 40														
(833) Lovely Valley Rd	0.70	800	R			From:	33-616 Morewood Rd									NA	NA	1999			
						To:	33-1340								NA	NA	1999				
(833) Lovely Valley Rd	0.28	500	R			From:	33-668									NA	NA	1999			
						To:	SR 40								F	0.1	F	0.562	1200	G	2004
(834)	0.98	1200	G	94%	1%	2%	2%	1%	0%												
						To:	33-840 Dove Rd								F	0.095	F	0.531	1600	G	2004
(834)	2.88	1600	G	94%	1%	2%	2%	1%	0%												
						To:	33-655								F	0.097	F	0.636	1900	G	2004
(834)	1.18	1900	G	94%	1%	2%	2%	1%	0%												
						To:	33-914 Ocala Rd								F	0.095	F	0.504	2900	G	2004
(834)	2.36	2900	G	94%	1%	2%	2%	1%	0%												
						To:	33-900								F	0.109	F	0.559	3600	G	2004
(834)	0.39	3500	G	94%	1%	2%	2%	1%	0%												
						To:	33-670 Burnt Chimney Rd								F	0.098	F	0.513	3000	G	2004
(834) Brooks Mill Rd	2.90	2900	G	94%	1%	2%	2%	1%	0%												
						To:	33-616 Morewood Rd								F	0.098	F	0.513	3000	G	2004
(835) Glendale Rd	0.90	48	R			From:	33-612									NA	NA	NA	NA	05/28/2002	
						To:	Dead End														
(836)	1.00	20	R			From:	33-793									NA	NA	NA	NA	06/03/2002	
						To:	Dead End														
(837) Marshall Hill Rd	0.92	70	R			From:	33-772									NA	NA	NA	NA	1999	
						To:	33-648														
(837) Marshall Hill Rd	0.18	160	R			From:	33-767 NORTH									NA	NA	NA	NA	1999	
						To:	33-767 S; 33-771														
(837) Marshall Hill Rd	0.85	0	R			From:	33-606									NA	NA	NA	NA	06/05/2002	
						To:	Dead End														
(838)	0.80	90	R			From:	33-681									NA	NA	NA	NA	07/08/2002	
						To:	Dead End														
(839)	1.33	130	R			From:	33-834 Brooks Mill Rd									NA	NA	NA	NA	1999	
						To:	33-655 NORTH														
(839)	1.52	140	R			From:	33-655 SOUTH									NA	NA	NA	NA	1999	
						To:	33-671 WEST														
(839)	0.70	20	R			From:	33-671 EAST									NA	NA	NA	NA	07/01/2002	
						To:	Dead End														
(840) Dove Rd	1.01	140	R			From:	33-834 Brooks Mill Rd									NA	NA	NA	NA	1999	
						To:	33-662														
(841) Hidden Valley Rd	0.30	6	R			From:	Dead End									NA	NA	NA	NA	06/03/2002	
						To:	SR 40														

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Franklin County																
(842) Ike Rd	0.25	20	R			From: Dead End					NA		NA		NA	06/03/2002
						To: 33-793										
(843) Moorman Rd	0.19	48	R			From: 33-635					NA		NA		NA	1999
						To: Dead End										
(844) Emmas Rd	0.45	100	R			From: 33-619 Fanny Cook Rd					NA		NA		NA	06/17/2002
						To: Dead End										
(845) Briar Ridge Rd	2.63	230	R			From: 33-607 Fairfield Rd					NA		NA		NA	1999
						To: 33-761 Canton Church Rd										
(846)	0.30	3	R			From: 33-637					NA		NA		NA	06/03/2002
						To: Dead End										
(847) Blackwell Rd	0.25	30	R			From: Dead End					NA		NA		NA	06/11/2002
						To: US 220										
(848)	0.19	0	R			From: Dead End					NA		NA		NA	07/08/2002
						To: 33-616 Morewood Rd										
(849) Blue Ridge Ct	0.47	160	R			From: Dead End					NA		NA		NA	1999
						To: 33-816 Cassell Dr										
(850)	0.21	50	R			From: Dead End					NA		NA		NA	05/28/2002
						To: 0.21 ME Dead End										
(850)	0.66	50	R			From: 33-643					NA		NA		NA	05/28/2002
						To: Dead End										
(851) Bowman Rd	0.30	20	R			From: Dead End					NA		NA		NA	05/28/2002
						To: 33-735										
(852) Guthrie Rd	0.50	80	R			From: 33-613					NA		NA		NA	05/28/2002
						To: Dead End										
(853) Cooks Knob	1.50	140	R			From: 33-864 Old Ferrum Rd					NA		NA		NA	1999
						To: Dead End										
(854)	0.98	110	R			From: Dead End					NA		NA		NA	06/17/2002
						To: 33-619 Fanny Cook Rd										
(855) Ikenberry Rd	0.60	50	R			From: Dead End					NA		NA		NA	1999
						To: 33-919										
(856)	0.23	20	R			From: Dead End					NA		NA		NA	07/10/2002
						To: 33-692										
(857)	1.00	30	R			From: 33-788					NA		NA		NA	06/03/2002
						To: Dead End										
(858) Laprad Mill Rd	1.07	70	R			From: 33-629					NA		NA		NA	06/26/2002
						To: 33-611; 71-611										
(859)	0.87	210	R			From: SR 122 SOUTH					NA		NA		NA	07/01/2002
						To: SR 122 NORTH										

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Franklin County																
(860)	2.85	190	G	96%	0%	2%	2%	0%	0%	C	0.122	F	0.591	190	G	2004
				From:	Floyd County Line											
				To:	SR 40											
(861)	0.80	230	R		From:	Dead End						NA		NA		1999
				To:	33-674											
(862)	2.56	30	R		From:	Dead End						NA		NA		05/28/2002
				To:	33-962 Masons Knob Rd							NA		NA		
(862)	0.65	250	R		From:	33-756						NA		NA		1999
				To:	33-754 SOUTH											
(863)	1.67	380	R		From:	33-754 NORTH						NA		NA		1999
				To:	SR 40							NA		NA		1999
(864)	3.48	300	R		From:	SR 40						NA		NA		1999
				To:	33-853 Cooks Knob							NA		NA		1999
(864)	0.20	510	R		From:	33-927 Iron Bridge Rd						NA		NA		1999
				To:	33-756							NA		NA		1999
(865)	1.40	10	R		From:	33-605						NA		NA		06/05/2002
				To:	33-778 Nicholas Creek Rd							NA		NA		06/05/2002
(865)	1.20	20	R		From:	33-772						NA		NA		06/05/2002
				To:	33-781 King Richard Rd							NA		NA		1999
(865)	0.13	140	R		From:	33-781 King Richard Rd						NA		NA		1999
				To:	1.29 ME 33-781							NA		NA		06/05/2002
(865)	0.31	270	R		From:	33-623						NA		NA		1999
				To:	33-655							NA		NA		1999
(866)	0.37	150	R		From:	33-913						NA		NA		1999
				To:	Dead End							NA		NA		07/01/2002
(866)	0.98	60	R		From:	Dead End						NA		NA		07/01/2002
				To:	Dead End							NA		NA		1999
(867)	1.01	140	R		From:	Dead End						NA		NA		1999
				To:	33-640 Five Mile Mountain Rd											
(868)	1.10	340	R		From:	Dead End						NA		NA		1999
				To:	33-670 Burnt Chimney Rd											
(869)	0.31	50	R		From:	33-834 Brooks Mill Rd						NA		NA		06/26/2002
				To:	SR 40											
(870)	0.93	40	R		From:	SR 40						NA		NA		1999
				To:	Dead End											
(871)	0.30	50	R		From:	Dead End						NA		NA		07/01/2002
				To:	33-702 Farm View Rd											

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route Franklin Maintenance Area

Virginia Department of Transportation
Mobility Management Division

2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck					QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail								
Franklin County																	
(890)	5.68	720	G	94%	1%	1%	1%	2%	0%	From: 33-627 Old Chapel Rd To: SR 40	F	0.088	F	0.504	740	G	2004
(891)	0.40	40	R							From: Dead End To: 33-655			NA		NA	07/01/2002	
(892) Mario Farm Rd	0.10	1	R							From: SR 40 To: Dead End			NA		NA	06/03/2002	
(893) Clement Dr	0.22	80	R							From: Dead End To: 33-669 Hermitage Rd			NA		NA	1999	
(894) Johnson Hill Rd	2.40	20	R							From: 33-727 To: 33-603			NA		NA	06/03/2002	
(895)	0.40	20	R							From: Dead End To: 33-789			NA		NA	06/03/2002	
(896)	0.54	130	R							From: WCL Rocky Mount To: Dead End			NA		NA	1999	
(897)	0.40	10	R							From: 33-845 Briar Ridge Rd To: Dead End			NA		NA	06/11/2002	
(898) Barbour Rd	0.58	40	R							From: Dead End To: 33-890			NA		NA	06/17/2002	
(899)	1.85	30	R							From: 33-890 To: 33-790			NA		NA	06/24/2002	
(900)	3.55	200	R							From: 33-670 Burnt Chimney Rd To: 33-834 Brooks Mill Rd			NA		NA	1999	
(901) Newcomb Rd	0.50	30	R							From: Dead End To: 33-788			NA		NA	06/03/2002	
(902) Double Branch Rd	0.90	220	R							From: 33-619 Fanny Cook Rd To: Dead End			NA		NA	06/17/2002	
(903) Horseshoe Point Rd	0.45	48	R							From: Dead End To: 33-934 Horseshoe Point Rd			NA		NA	06/05/2002	
(903) Horseshoe Point Rd	2.87	160	R							From: 33-605 To: 33-768 Lighthaven Rd			NA		NA	1999	
(904) Cannaday Rd	0.40	0	R							From: 33-768 Lighthaven Rd To: Dead End			NA		NA	06/05/2002	
(905) Oak Ridge Rd	0.15	20	R							From: Dead End To: 33-1111			NA		NA	06/26/2002	
(905) Oak Ridge Rd	0.02	20	R							From: 33-1111 To: 33-1110 Carlos Rd			NA		NA	1999	
(905) Oak Ridge Rd	0.20	50	R							From: 33-1110 Carlos Rd To: 33-1112			NA		NA	1999	
(905) Oak Ridge Rd	0.32	200	R							From: 33-1112 To: 33-938			NA		NA	1999	

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Franklin County																	
(906) Highland Hills Rd	0.09	20	R			From: 33-1038 Circle View									NA	NA	1999
(906)	0.58	690	G	97%	2%	1%	0%	0%	0%	C	0.097	F	0.539	700	G	2004	
				To: 33-1037 Circle View													
				From: 33-820 Diamond Ave													
(907)	0.20	0	R			From: Dead End									NA	NA	06/26/2002
				To: 33-624													
(908) Delta Rd	0.75	47	R			From: 33-602									NA	NA	05/30/2002
				To: Dead End													
(909) Blue Bend Rd	0.30	100	R			From: Dead End									NA	NA	1999
				To: 33-919													
(910)	0.20	40	R			From: 33-739									NA	NA	05/30/2002
				To: Dead End													
(911)	0.30	30	R			From: Dead End									NA	NA	06/26/2002
				To: 33-945 Kemp Ford Rd													
(912) Blacksmith Rd	0.68	30	R			From: 33-658 Listening Hill Rd									NA	NA	06/26/2002
				To: 33-659													
(913)	0.29	40	R			From: Dead End									NA	NA	07/01/2002
				To: 33-866 Crafts Church Rd													
(914) Ocala Rd	0.53	860	R			From: 33-671									NA	NA	1999
				To: Dead End													
(915)	0.10	1400	R			From: SR 40									NA	NA	1999
				To: 33-623													
(916) Campbellwood Rd	0.70	49	R			From: Dead End									NA	NA	1999
				To: 33-730 Dans Rd													
(917) Montgomery Rd	0.23	30	R			From: 33-689									NA	NA	07/10/2002
				To: Dead End													
(918) Ingram Rd	0.26	30	R			From: Dead End									NA	NA	06/05/2002
				To: 33-773													
(919)	1.61	3200	G	95%	1%	1%	1%	3%	0%	F	0.119	F	0.624	3300	G	2004	
				To: NCL Rocky Mount													
(919)	1.91	2800	G	95%	1%	1%	1%	3%	0%	C	0.107	F	0.623	2800	G	2004	
				To: 33-709													
(919)	2.02	1200	G	95%	1%	1%	1%	3%	0%	F	0.089	F	0.508	1200	G	2004	
				To: 33-641													
(919)	3.15	1900	G	95%	1%	1%	1%	3%	0%	F	0.103	F	0.694	1900	G	2004	
				To: 33-697 Brick Church Rd													
(920) Morgans Fork Rd	1.15	410	R			From: US 220									NA	NA	1999
				To: 33-660													
(921) Altice Mill Rd	2.00	250	R			From: Dead End									NA	NA	07/01/2002
				To: 33-649													
				To: Cul-de-Sac													

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Franklin County															
(922)	0.41	NA				From: 33-00861(B)/					NA		NA		
						To: Dead End									
(923) Clark Hollow	0.55	40	R			From: Dead End					NA		NA		05/28/2002
						To: 33-745 Dillons Mill Rd									
(924)	0.05	140	R			From: 33-619 Fanny Cook Rd					NA		NA		06/17/2002
						To: 33-9155 WEST									
(924)	0.05	120	R			From: 33-9155 EAST					NA		NA		06/17/2002
						To: Dead End									
(925) Old Barn Rd	0.15	20	R			From: Dead End					NA		NA		06/24/2002
						To: 33-890									
(926)	1.31	70	R			From: 33-674					NA		NA		1999
						To: 33-673 Jacks Mountain Rd									
(927) Iron Bridge Rd	0.03	280	R			From: SR 40					NA		NA		1999
						To: 33-864 Old Ferrum Rd									
(928)	0.50	30	R			From: Dead End					NA		NA		05/30/2002
						To: 33-602									
(929) Briar Mountain Rd	0.60	90	R			From: Dead End					NA		NA		06/11/2002
						To: 0.60 ME Dead End									
(929) Briar Mountain Rd	0.40	210	R			From: 33-756					NA		NA		1999
						To: Dead End									
(930)	0.29	450	R			From: US 220					NA		NA		1999
						To: 33-715 Chestnut Mountain									
(931) Fralins Rd	1.08	40	R			From: Dead End					NA		NA		06/17/2002
						To: Dead End									
(932) Graveyard Knob Rd	0.80	50	R			From: 33-737					NA		NA		1999
						To: Dead End									
(933) Colonel Lee	0.60	20	R			From: Dead End					NA		NA		06/17/2002
						To: 33-717									
(934) Horseshoe Point Rd	0.48	90	R			From: Dead End					NA		NA		1999
						To: 33-903 Horseshoe Point Rd									
(935) Fairlane Rd	0.50	20	R			From: Dead End					NA		NA		06/17/2002
						To: 33-890									
(936) Greenhouse Rd	0.79	20	R			From: 33-839					NA		NA		07/01/2002
						To: Dead End									
(937)	1.26	40	R			From: 33-663					NA		NA		06/26/2002
						To: Dead End									

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck					QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Franklin County																	
(938)	2.27	450	R			From:	33-945 Kemp Ford Rd					NA		NA	NA	1999	
(938)	0.21	90	R			To:	33-905 Oak Ridge Rd					NA		NA	NA	1999	
(938)	0.24	90	R			To:	33-1490 Cedar Ridge Rd					NA		NA	NA	1999	
(938)	0.46	30	R			From:	33-1440 Ivy Lane					NA		NA	NA	1999	
(938)						To:	Dead End										
(939) Menefee Rd	0.40	50	R			From:	Dead End					NA		NA	NA	06/11/2002	
(940) Ashmeade Rd	1.25	630	R			To:	33-619 Fanny Cook Rd					NA		NA	NA	1999	
(941)	1.00	80	R			From:	33-616 Morewood Rd					NA		NA	NA	1999	
(941)						To:	Dead End										
(942) Bluewater Dr	0.25	40	R			From:	Begin Loop					NA		NA	NA	1999	
(942) Bluewater Dr	0.22	90	R			To:	33-1332 Bluewater Ct					NA		NA	NA	1999	
(942) Bluewater Dr	0.03	130	R			To:	End Loop					NA		NA	NA	1999	
(942) Bluewater Dr	0.20	170	R			From:	33-1333 Deep Creek Ct					NA		NA	NA	1999	
(942) Bluewater Dr	0.20	200	R			To:	33-1331 Green Hill Ct					NA		NA	NA	1999	
(942) Bluewater Dr	0.70	510	R			From:	33-1330					NA		NA	NA	1999	
(942) Bluewater Dr	0.80	750	R			To:	33-941					NA		NA	NA	1999	
(942) Bluewater Dr	1.92	600	R			From:	33-616 Morewood Rd					NA		NA	NA	1999	
(943)	0.05	0	R			To:	Dead End					NA		NA	NA	06/11/2002	
(943)						From:	US 220										
(944) Crafts Ford Rd	0.15	20	R			From:	Dead End					NA		NA	NA	1999	
(944) Crafts Ford Rd	1.11	360	R			To:	33-669 Hermitage Rd					NA		NA	NA	1999	
(944) Crafts Ford Rd	0.54	440	R			To:	33-1358					NA		NA	NA	1999	
(944) Crafts Ford Rd	0.47	50	R			From:	33-668					NA		NA	NA	1999	
(944) Crafts Ford Rd	0.08	310	R			To:	33-1355 Oakshire Lane					NA		NA	NA	1999	
(945)	1.56	1400	G	95%	1%	2%	1%	1%	0%		C	0.092	F	0.553	1400	G	2004
(945) Kemp Ford Rd	1.90	300	R			From:	33-663					NA		NA	NA	1999	
(945) Kemp Ford Rd						To:	33-911										

Virginia Department of Transportation
Mobility Management Division

2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Franklin County																
(945) Kemp Ford Rd	0.10	120	R			From:	33-911					NA		NA	NA	1999
(945) Kemp Ford Rd	0.10	100	R			To:	33-1351 Niver Dr					NA		NA	NA	1999
(945) Kemp Ford Rd	0.10	40	R			From:	33-1352					NA		NA	NA	1999
(946) Novelty Rd	1.93	400	R			To:	Dead End									
(946) Novelty Rd	1.79	310	R			From:	SR 40 WEST					NA		NA	06/26/2002	
(946) Novelty Rd	0.30	50	R			To:	33-658 Listening Hill Rd					NA		NA	06/26/2002	
(946) Novelty Rd	0.23	20	R			From:	SR 40 MID					NA		NA	1999	
(947)						To:	SR 40 EAST									
(947)	0.80	380	R			From:	33-660					NA		NA	1999	
(948)	2.33	1200	R			To:	Dead End					NA		NA	1999	
(948)	0.51	420	R			From:	33-949 Lakewood Forest Rd									
(949) Lakewood Forest Rd	0.84	300	R			To:	Dead End					NA		NA	1999	
(949) Lakewood Forest Rd	0.16	160	R			From:	33-616 Morewood Rd					NA		NA	1999	
(949) Lakewood Forest Rd	0.13	80	R			To:	33-947					NA		NA	1999	
(949) Lakewood Forest Rd	0.45	20	R			From:	33-1370 Chickadee Circle					NA		NA	1999	
(949) Lakewood Forest Rd	0.13	80	R			To:	33-1371 Nuthatch Circle					NA		NA	1999	
(950) Dovetail Rd	0.75	20	R			From:	Cul-de-Sac					NA		NA	07/08/2002	
(951)						To:	33-666 Merriman Way Rd									
(951)	0.29	420	R			From:	SR 122					NA		NA	1999	
(951)	0.45	340	R			To:	SR 122									
(952) Indian Cave Rd	0.86	70	R			From:	33-1245 Hales Point Dr					NA		NA	06/26/2002	
(952) Indian Cave Rd	0.10	2	R			To:	33-1234 Long Island Dr					NA		NA	07/08/2002	
(953) Ellerbee Rd	1.80	420	R			From:	Dead End					NA		NA	06/19/2002	
(954) Ball Park Rd	0.70	140	R			To:	33-705 Chestnut Hill					NA		NA	1999	
(955) Dillards Hill Rd	0.83	290	R			From:	33-674					NA		NA	1999	
(955) Dillards Hill Rd	0.70	140	R			To:	Dead End					NA		NA	1999	
(956)						From:	US 220									
(956)	0.83	290	R			To:	33-663					NA		NA	1999	
(956) Dillards Hill Rd	0.83	290	R			From:	Dead End									

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Franklin County																	
(958)	0.24	30	R			From: Cul-de-Sac									NA	NA	1999
						To: 33-965 Brookwood Rd											
(959)	0.20	40	R			From: Dead End									NA	NA	1999
						To: 33-731 Dugwell Rd											
(960) Keatts Rd	0.50	20	R			From: 33-890									NA	NA	06/24/2002
						To: Dead End											
(961) Hedgewood Rd	0.28	30	R			From: Dead End									NA	NA	05/28/2002
						To: 33-739											
(962) Masons Knob Rd	0.65	50	R			From: 33-862 John Arthur Rd									NA	NA	1999
						To: Dead End											
(963)	0.19	30	R			From: SR 40									NA	NA	1999
						To: Dead End											
(964) Barton Spur Rd	0.85	20	R			From: Dead End									NA	NA	06/03/2002
						To: 33-789											
(965) Brookwood Rd	0.67	140	R			From: Dead End									NA	NA	1999
						To: 33-958											
(965) Brookwood Rd	0.75	250	R			From: 33-834 Brooks Mill Rd									NA	NA	1999
						To: 33-660											
(966) Jefferson Dock Rd	0.25	400	R			From: 33-977 Country Oak Rd									NA	NA	1999
						To: Dead End											
(966) Jefferson Dock Rd	1.17	280	R			From: Dead End									NA	NA	1999
						To: 33-601 Dudley Amos Rd											
(967) Hillcrest Heights Dr	0.50	120	R			From: 33-890									NA	NA	1999
						To: Pittsylvania County Line											
(969)	3.16	410	G	96%	1%	1%	0%	2%	0%	C	0.095	F	0.537	410	G	2004	
(970)	0.40	40	R			From: 33-613									NA	NA	05/28/2002
						To: Dead End											
(971) Crescent Lane	0.13	30	R			From: Dead End									NA	NA	1999
						To: 33-965 Brookwood Rd											
(972) Landmark Rd	0.41	770	R			From: SR 116									NA	NA	07/08/2002
						To: 33-688 Landmark Rd											
(973) Country Rd	0.22	20	R			From: SR 116 SOUTH									NA	NA	07/10/2002
						To: SR 116 NORTH											
(974) Millwood Rd	0.13	190	R			From: 33-657 Crowell Gap Rd									NA	NA	07/10/2002
						To: SR 116											
(975) Bonbrook Mill Rd	0.43	20	R			From: SR 116 NORTH									NA	NA	07/08/2002
						To: SR 116 S; 33-657											

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Franklin County																	
(976) Cherokee Hills	0.33	80	R			From: 33-609 Country Ridge Rd						NA			NA		07/01/2002
						To: Dead End											
(977) Country Oak Rd	0.55	48	R			From: 33-966 Jefferson Dock Rd						NA			NA		06/26/2002
						To: Dead End											
(978) Oak Grove Dr	0.80	400	R			From: 33-666 Merriman Way Rd						NA			NA		1999
						To: 33-1230											
(978) Oak Grove Dr	0.25	110	R			From: 33-1231						NA			NA		1999
						To: 33-890											
(979) Meeks Rd	0.48	40	R			From: Dead End						NA			NA		06/26/2002
						To: 33-890											
(980)	0.47	90	R			From: 33-800						NA			NA		1999
						To: 33-640 Five Mile Mountain Rd											
(981) Edward Rd	0.45	30	R			From: Dead End						NA			NA		06/26/2002
						To: 33-660											
(982) Anthony Ford Rd	0.10	80	R			From: Pittsylvania County Line						NA			NA		1999
						To: 33-1140											
(982) Anthony Ford Rd	0.11	60	R			From: Dead End						NA			NA		1999
						To: Cul-de-Sac											
(983)	0.22	80	R			From: US 220						NA			NA		1999
						To: Dead End											
(984) Oak Forest Rd	0.25	60	R			From: Dead End						NA			NA		1999
						To: Henry County Line											
(985)	0.55	20	R			From: 33-652 Circle Creek						NA			NA		06/24/2002
						To: Dead End											
(986) Mockingbird Rd	0.20	50	R			From: 33-739						NA			NA		1999
						To: Dead End											
(987) McDonald Rd	0.15	30	R			From: 33-670 Burnt Chimney Rd						NA			NA		1999
						To: Dead End											
(988) Loop Rd	0.41	30	R			From: 33-619 Fanny Cook Rd						NA			NA		06/17/2002
						To: 33-619 Fanny Cook Rd											
(989) Dennis Loop	0.42	10	R			From: 33-619 Fanny Cook Rd						NA			NA		06/17/2002
						To: 33-619 Fanny Cook Rd											
(990)	0.10	80	R			From: 33-605						NA			NA		1999
						To: 33-1420 Indian Trail											
(990)	0.45	100	R			From: 33-605						NA			NA		1999
						To: Dead End											
(991)	0.40	50	R			From: SR 40						NA			NA		1999
						To: SR 40											

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Franklin County															
(992)	0.67	40	R			From: Dead End					NA		NA		1999
						To: 33-788									
Floyd County															
(993)	0.02	20	R			From: Franklin County Line; 31-888; 33-888					NA		NA		06/03/2002
						To: Floyd County Line									
Franklin County															
(993)	0.02	20	R			From: Floyd County Line					NA		NA		06/03/2002
						To: Blue Ridge Parkway									
(993)	0.10	20	R			From: Floyd County Line					NA		NA		06/03/2002
						To: Dead End									
(994) New Plant Rd	0.09	370	R			From: 33-919					NA		NA		1999
						To: 33-641									
(995) Miracle Rd	0.90	60	R			From: 33-641					NA		NA		1999
						To: 33-641									
						From: 33-619 Fanny Cook Rd					NA		NA		06/17/2002
(996) Cooper Rd	0.40	10	R			To: Dead End									
						From: 33-670 Burnt Chimney Rd					NA		NA		1999
						To: Dead End									
(997)	0.80	80	R			From: 33-643					NA		NA		1999
						To: Dead End									
(998) Mirey Branch Rd	0.12	10	R			From: 33-643					NA		NA		1999
						To: Dead End									
						From: Dead End					NA		NA		1999
(999)	0.32	90	R			To: 33-641									
						From: Cul-de-Sac					NA		NA		1999
						To: SR 116									
(1000)	0.51	40	R			From: 33-1002 SOUTH					NA		NA		1999
						To: 33-1002 NORTH									
(1001) Beverly Hills Circle	0.31	140	R			From: 33-1002 NORTH					NA		NA		1999
						To: US 40									
						From: Dead End					NA		NA		1999
(1002) Hollywood Rd	0.07	20	R			To: 33-1001 SOUTH									
						From: 33-1001 NORTH					NA		NA		1999
						To: Dead End									
(1002) Hollywood Rd	0.07	80	R			From: 33-1001 NORTH					NA		NA		1999
						To: Dead End									
(1002) Hollywood Rd	0.08	45	R			From: SR 40 SOUTH					NA		NA		1999
						To: SR 40 NORTH									
						From: SR 40 NORTH					NA		NA		1999
(1003) Barfoot West Rd	0.39	50	R			To: 33-816 Cassell Dr									
						From: 33-1005 Courtland Rd					NA		NA		1999
						To: Cul-de-Sac									
(1004)	0.30	80	R												
(1004)	0.18	20	R												

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Franklin County															
(1005) Courtland Rd	0.07	20	R			From: Cul-de-Sac					NA		NA	NA	1999
						To: 33-1004									
(1006) Friendly St	0.13	40	R			From: Dead End					NA		NA	NA	1999
						To: 33-820 Diamond Ave									
(1007)	0.65	60	R			From: 33-1019					NA		NA	NA	1995
						To: Dead End									
(1008) Bernard Rd	0.05	2600	R			From: Ramp to US 220					NA		NA	NA	1991
						To: FR-612									
(1008) Bernard Rd	0.09	2900	R			From: 33-1016 Mountain View Dr					NA		NA	NA	1986
						To: 33-1009 Hilltop Dr									
(1008) Bernard Rd	0.13	2800	R			From: 33-1009 Hilltop Dr					NA		NA	NA	1986
						To: 33-1013 Meadowlark Rd									
(1008) Bernard Rd	0.10	2500	R			From: 33-1013 Meadowlark Rd					NA		NA	NA	1986
						To: 33-1010									
(1008) Bernard Rd	0.09	2700	R			From: 33-1010					NA		NA	NA	1986
						To: 33-1014 Lakeview Dr									
(1008) Bernard Rd	0.30	3800	R			From: 33-1014 Lakeview Dr					NA		NA	NA	1991
						To: 33-649									
(1009) Hilltop Dr	0.14	120	R			From: 33-1008 Bernard Rd					NA		NA	NA	1986
						To: 33-1014 Lakeview Dr									
(1009) Hilltop Dr	0.13	130	R			From: 33-1014 Lakeview Dr					NA		NA	NA	1986
						To: 33-1010									
(1009) Hilltop Dr	0.30	190	R			From: 33-1010					NA		NA	NA	1986
						To: 33-1008 Bernard Rd									
(1010)	0.15	130	R			From: 33-1008 Bernard Rd					NA		NA	NA	1986
						To: 33-1009 Hilltop Dr									
(1011)	0.48	100	R			From: Dead End					NA		NA	NA	1986
						To: Bus US 220									
(1012)	0.11	40	R			From: Dead End					NA		NA	NA	1989
						To: 33-820 Diamond Ave									
(1013) Meadowlark Rd	0.09	80	R			From: 33-1008 Bernard Rd					NA		NA	NA	1986
						To: Dead End									
(1014) Lakeview Dr	0.11	100	R			From: 33-1015 Lakeview Dr					NA		NA	NA	1986
						To: 33-1017 Cornell Rd									
(1014) Lakeview Dr	0.20	350	R			From: 33-1017 Cornell Rd					NA		NA	NA	1986
						To: 33-1008 Bernard Rd									
(1014) Lakeview Dr	0.08	100	R			From: 33-1008 Bernard Rd					NA		NA	NA	1986
						To: 33-1009 Hilltop Dr									
(1015) Lakeview Dr	0.16	50	R			From: 33-1009 Hilltop Dr					NA		NA	NA	1986
						To: 33-1014 Lakeview Dr									
(1015) Lakeview Dr						From: 33-1014 Lakeview Dr					NA		NA	NA	1986
						To: 33-1017 Cornell Rd									

Virginia Department of Transportation
Mobility Management Division

2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Franklin County															
(1016) Mountain View Dr	0.25	210	R			From: 33-1008 Bernard Rd					NA		NA	NA	1986
						To: Dead End									
(1017) Cornell Rd	0.15	140	R			From: Dead End					NA		NA	NA	1986
(1017) Cornell Rd	0.13	210	R			From: 33-1015 Lakeview Dr					NA		NA	NA	1986
						To: 33-1014 Lakeview Dr									
(1018)	0.30	70	R			From: Dead End					NA		NA	NA	1986
						To: 33-674									
(1019)	0.24	100	R			From: Dead End					NA		NA	NA	1986
						To: 33-674									
(1019)	1.27	480	R			From: 33-1007					NA		NA	NA	1986
						To: Dead End									
(1020) Eastover Rd	0.50	160	R			From: Bus US 220					NA		NA	NA	1986
						To: Bus US 220									
(1021) Honeywood Rd	0.20	150	R			From: Dead End					NA		NA	NA	1986
						To: 33-674									
(1022)	0.20	200	R			From: 33-674					NA		NA	NA	1986
						To: Dead End									
(1023)	0.18	50	R			From: 0.18 MW Bus US 220					NA		NA	NA	1995
						To: Bus US 220									
(1023)	0.32	120	R			From: Dead End					NA		NA	NA	1986
						To: Dead End									
(1024)	0.32	220	R			From: Dead End					NA		NA	NA	1986
						To: Bus US 220									
(1025) Acorn Rd	0.07	130	R			From: SR 40					NA		NA	NA	1999
						To: 33-1026									
(1025) Acorn Rd	0.06	50	R			From: Dead End					NA		NA	NA	1999
						To: 33-1027									
(1026)	0.13	50	R			From: 33-1025 Acorn Rd					NA		NA	NA	1999
						To: SR 40									
(1027)	0.06	70	R			From: 33-1026					NA		NA	NA	1999
						To: Dead End									
(1028) Hunt Valley Rd	0.75	40	R			From: Dead End					NA		NA	NA	1999
						To: 33-756									
(1029)	0.44	120	R			From: 33-754 Falcon Ridge					NA		NA	NA	1999
						To: Dead End									
(1030)	0.17	300	R			From: 33-640 Five Mile Mountain Rd					NA		NA	NA	1999
						To: 33-1031									

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Franklin County															
(1031)	0.11	220	R			From: 33-1030					NA		NA	NA	1999
						To: 33-1032 Highfield Circle									
(1032) Highfield Circle	0.27	140	R			From: 33-1033 Highfield Rd					NA		NA	NA	1999
						To: 33-1031									
(1033) Highfield Rd	0.33	150	R			From: 33-640 Five Mile Mountain Rd					NA		NA	NA	1999
						To: 33-1032 Highfield Circle									
(1034)	0.94	20	R			From: Dead End					NA		NA	NA	1999
						To: 33-713									
(1035) Beechdale Rd	0.50	60	R			From: SR 122					NA		NA	NA	1986
						To: Dead End									
(1036) Willow Creek Rd	0.56	210	G	93%	1%	5%	0%	0%	0%	C	NA		210	G	2004
						To: 33-619 Fanny Cook Rd									
(1037) Circle View	0.30	70	R			From: 33-1038 Circle View					NA		NA	NA	1999
						To: 33-906 Highland Hills Rd									
(1038) Circle View	0.32	20	R			From: 33-1037 Circle View					NA		NA	NA	1999
						To: 33-906 Highland Hills Rd									
(1039)	0.33	NA				From: Cul-de-Sac					NA		NA	NA	
						To: 33-00635(B)/									
(1040) Greenvue Dr	0.13	400	R			From: 33-640 Five Mile Mountain Rd					NA		NA	NA	1999
						To: 33-1041 Belmont Dr									
(1040) Greenvue Dr	0.10	380	R			From: 33-1043 Forest Hill Lane					NA		NA	NA	1999
						To: 33-1043 Forest Hill Lane									
(1041) Belmont Dr	0.16	60	R			From: 33-1040 Greenvue Dr					NA		NA	NA	1999
						To: 33-1042 Dillard Lane									
(1042) Dillard Lane	0.09	30	R			From: 33-1041 Belmont Dr					NA		NA	NA	1999
						To: 33-1043 Forest Hill Lane									
(1042) Dillard Lane	0.11	50	R			From: 33-1044					NA		NA	NA	1999
						To: 33-1044									
(1043) Forest Hill Lane	0.14	90	R			From: 33-1040 Greenvue Dr					NA		NA	NA	1999
						To: 33-1042 Dillard Lane									
(1044)	0.07	60	R			From: NCL Rocky Mount					NA		NA	NA	1999
						To: 33-1042 Dillard Lane									
(1045) Crest View Rd	0.15	30	R			From: 33-1047 WEST					NA		NA	NA	1999
						To: 33-1046 Carolina Rd									
(1045) Crest View Rd	0.08	80	R			From: 33-754 Falcon Ridge					NA		NA	NA	1999
						To: 33-754 Falcon Ridge									
(1046) Carolina Rd	0.12	50	R			From: Dead End					NA		NA	NA	1999
						To: 33-1045 Crest View Rd									

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Franklin County																
(1047)	0.06	30	R			From:	33-1046 Carolina Rd				NA		NA		NA	1999
(1047)	0.16	30	R			To:	33-1045 WEST				NA		NA		NA	1999
						To:	33-1045 EAST									
(1048)	0.09	6	R			From:	33-748				NA		NA		NA	05/30/2002
						To:	33-748									
(1049) Mountain Top De	0.04	540	R			From:	WCL Rocky Mount				NA		NA		NA	1999
						To:	SR 40									
(1050)	0.05	70	R			From:	33-666 Merriman Way Rd				NA		NA		NA	1999
						To:	33-1051 Oak Point Dr									
(1050)	0.16	48	R			To:	Dead End				NA		NA		NA	1999
						From:	33-1050									
(1051) Oak Point Dr	0.35	20	R			To:	Dead End				NA		NA		NA	1999
						From:	Dead End									
(1052)	0.14	NA				To:	33-01034(B)/				NA		NA		NA	
						From:	Dead End									
(1053)	0.45	NA				To:	33-00619(B)/				NA		NA		NA	
						From:	Cul-de-Sac									
(1054)	0.37	80	R			To:	33-635				NA		NA		NA	07/10/2002
						From:	US 220									
(1055)	0.48	280	R			To:	Cul-de-Sac				NA		NA		NA	1999
						From:	SR 40									
(1056) Dalewood Lane	0.31	170	R			To:	Cul-de-Sac				NA		NA		NA	1999
						From:	Cul-de-Sac									
(1057)	0.41	20	R			To:	Bus US 220				NA		NA		NA	06/11/2002
						From:	33-775									
(1059)	0.17	50	R			To:	Cul-de-Sac				NA		NA		NA	05/30/2002
						From:	33-942 Bluewater Dr									
(1060)	0.25	50	R			To:	Cul-de-Sac				NA		NA		NA	1999
						From:	33-942 Bluewater Dr									
(1061) Lookout Pointe Dr	0.14	40	R			To:	Cul-de-Sac				NA		NA		NA	1999
						From:	33-942 Bluewater Dr									
(1062)	0.18	40	R			To:	33-1064				NA		NA		NA	1999
						From:	33-942 Bluewater Dr									
(1063)	0.12	48	R			To:	Cul-de-Sac				NA		NA		NA	1999
						From:	Cul-de-Sac									
(1064)	0.03	10	R			To:	33-1062				NA		NA		NA	1999
						From:	Cul-de-Sac									

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Franklin County															
(1064)	0.05	10	R			From: 33-1062					NA		NA	NA	1999
						To: Cul-de-Sac									
(1069)	0.50	NA				From: 33-00699(B)/					NA		NA		
						To: Cul-de-Sac									
(1070)	1.62	170	R			From: 33-636					NA		NA	NA	1999
						To: Cul-de-Sac									
(1071)	0.13	30	R			From: 33-1070					NA		NA	NA	1999
						To: Cul-de-Sac									
(1072) Charlotte Lane	0.16	30	R			From: Cul-de-Sac					NA		NA	NA	1999
						To: 33-1070									
(1073)	0.17	50	R			From: 33-1070					NA		NA	NA	1999
						To: 33-1074									
(1073)	0.05	6	R			From: Cul-de-Sac					NA		NA	NA	1999
						To: 33-1073									
(1074)	0.07	20	R			From: 33-1073					NA		NA	NA	1999
						To: 33-1076									
(1074)	0.11	6	R			From: Cul-de-Sac					NA		NA	NA	1999
						To: US 220									
(1075)	0.41	70	R			From: Dead End					NA		NA	NA	1999
						To: Cul-de-Sac									
(1076)	0.08	20	R			From: Cul-de-Sac					NA		NA	NA	1999
						To: 33-1074									
(1077)	0.09	20	R			From: Cul-de-Sac					NA		NA	NA	1999
						To: 33-1071									
(1079)	0.50	NA				From: Dead End					NA		NA		
						To: SR-00040(B)/									
(1080)	0.80	48	R			From: SR 40					NA		NA	NA	1999
						To: Dead End									
(1081)	0.73	NA				From: 33-821 Calico Rock Rd					NA		NA		
						To: Cul-de-Sac									
(1082)	0.35	110	R			From: 33-709					NA		NA	NA	05/30/2002
						To: 33-1083									
(1082)	0.29	NA				From: 33-1083 Countrywood Dr					NA		NA		
						To: Dead End									
(1083) Countrywood Dr	0.37	NA				From: 33-1082					NA		NA		
						To: Dead End									
(1084)	0.24	60	R			From: 33-709					NA		NA	NA	05/30/2002
						To: Dead End									

Virginia Department of Transportation
Mobility Management Division

2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Franklin County															
(1085) Commerce Rd	0.66	380	R			From: Cul-de-Sac					NA		NA	NA	1999
						To: US 220									
(1087) Wedgewood Dr	0.26	NA				From: Dead End					NA		NA		
						To: 33-1083 Countrywood Dr									
(1090) Evergreen Rd	0.13	50	R			From: Cul-de-Sac					NA		NA	NA	1999
						To: 33-670 Burnt Chimney Rd									
(1091)	0.55	30	R			From: Cul-de-Sac					NA		NA	NA	1999
						To: 33-1090 Evergreen Rd									
(1098)	0.05	NA				From: Cul-de-Sac					NA		NA		
						To: 33-1034									
(1099)	0.13	NA				From: Cul-de-Sac					NA		NA		
						To: 33-1034									
(1101) Belle Isle Rd	0.18	20	R			From: Dead End					NA		NA	NA	1999
						To: 33-1104 Montevista Rd									
(1101) Belle Isle Rd	0.22	150	R			From: 33-1102 Alpine Dr					NA		NA	NA	1999
						To: 33-663									
(1101) Belle Isle Rd	0.15	200	R			From: 33-1105 Highland Lake Rd					NA		NA	NA	1999
						To: Dead End									
(1101) Belle Isle Rd	0.43	290	R			From: Dead End					NA		NA	NA	1999
						To: 33-1103									
(1102) Alpine Dr	0.20	20	R			From: Dead End					NA		NA	NA	1999
						To: 33-1101 Belle Isle Rd									
(1102) Alpine Dr	0.15	30	R			From: Dead End					NA		NA	NA	1999
						To: 33-1102 Alpine Dr									
(1103)	0.13	10	R			From: Dead End					NA		NA	NA	1999
						To: 33-1101 Belle Isle Rd									
(1104) Montevista Rd	0.68	130	R			From: Dead End					NA		NA	NA	1999
						To: 33-1101 Belle Isle Rd									
(1105) Highland Lake Rd	0.13	20	R			From: Cul-de-Sac					NA		NA	NA	1999
						To: 33-1106									
(1105) Highland Lake Rd	0.77	180	R			From: 33-1101 Belle Isle Rd					NA		NA	NA	1999
						To: Dead End									
(1105) Highland Lake Rd	0.23	40	R			From: Cul-de-Sac					NA		NA	NA	1999
						To: 33-1105 Highland Lake Rd									
(1106)	0.09	6	R			From: Cul-de-Sac					NA		NA	NA	1999
						To: 33-1105 Highland Lake Rd									
(1107) Blackwater Shores Rd	0.11	20	R			From: Cul-de-Sac					NA		NA	NA	1999
						To: Cul-de-Sac									

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Franklin County															
(1108)	0.40	10	R			From: Dead End					NA		NA	NA	1999
						To: 33-957 Dillards Hill Rd									
(1109) Naure Lane	0.44	60	R			From: 33-663 WEST					NA		NA	NA	1999
						To: 33-663 EAST									
(1110) Carlos Rd	0.23	20	R			From: 33-905 Oak Ridge Rd					NA		NA	NA	1999
						To: 33-1112									
(1111)	0.04	7	R			From: Dead End					NA		NA	NA	1999
						To: 33-905 Oak Ridge Rd									
(1112)	0.17	48	R			From: Dead End					NA		NA	NA	1999
						To: 33-1113 Brooks Point Lane									
(1112)	0.10	140	R			From: 33-1110 Carlos Rd					NA		NA	NA	1999
						To: 33-905 Oak Ridge Rd									
(1112)	0.04	150	R			From: 33-1112					NA		NA	NA	1999
						To: Dead End									
(1113) Brooks Point Lane	0.36	80	R			From: 33-831					NA		NA	NA	1999
						To: Dead End									
(1114)	0.12	10	R			From: 33-831					NA		NA	NA	1999
						To: Dead End									
(1115) Dodee Lane	0.70	110	R			From: 33-831					NA		NA	NA	1999
						To: 33-1116 Kamp Branch Rd									
(1115) Dodee Lane	0.54	70	R			From: Cul-de-Sac					NA		NA	NA	1999
						To: Dead End									
(1116) Kamp Branch Rd	0.06	6	R			From: 33-1115 Dodee Lane					NA		NA	NA	1999
						To: Dead End									
(1117)	0.51	40	R			From: 33-1115 Dodee Lane					NA		NA	NA	1999
						To: Cul-de-Sac									
(1118)	0.06	NA				From: 33-01108(B)/					NA		NA	NA	
						To: Cul-de-Sac									
(1120) Bull Run Dr	0.35	70	R			From: 33-1121 Bull Run Ter					NA		NA	NA	1999
						To: 33-610									
(1121) Bull Run Ter	0.75	48	R			From: Cul-de-Sac					NA		NA	NA	1999
						To: 33-1120 Bull Run Dr									
(1121) Bull Run Ter	0.11	40	R			From: Dead End					NA		NA	NA	1999
						To: Dead End									
(1122)	0.23	110	R			From: 33-1121 Bull Run Ter					NA		NA	NA	1999
						To: 33-610									
(1123)	0.35	NA				From: Dead End					NA		NA	NA	
						To: 33-00662(B)/									
(1125)	0.21	NA				From: Cul-de-Sac					NA		NA	NA	
						To: 33-00831(B)/									

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Franklin County															
(1126)	0.22	NA				From: 33-01125(B)/					NA		NA		
						To: Cul-de-Sac									
(1129)	0.40	NA				From: 33-00834(B)/					NA		NA		
						To: Dead End									
(1130) Lake Pake Dr	0.84	90	R			From: 33-662					NA		NA		1999
						To: Cul-de-Sac									
(1135)	0.28	NA				From: Cul-de-Sac					NA		NA		
						To: 33-00655(B)/									
(1139)	0.11	NA				From: 71-01139(U)/JB-33/					NA		NA		
						To: Dead End									
(1140)	0.14	6	R			From: Cul-de-Sac					NA		NA		1999
						To: 33-982 Anthony Ford Rd									
(1197)	0.16	NA				From: 44-01197(L)/JB-33/					NA		NA		
						To: 33-00890(B)/RTE. 1197									
(1198)	0.12	NA				From: 44-01198(U)/JB-33/					NA		NA		
						To: Cul-de-Sac									
(1201)	0.11	160	R			From: 33-678					NA		NA		1999
						To: 33-1202 Island Rd									
(1201)	0.15	60	R			From: Dead End					NA		NA		1999
						To: 33-1201									
(1202) Island Rd	0.20	110	R			From: 33-1203					NA		NA		1999
						To: Dead End									
(1203)	0.08	48	R			From: 33-1202 Island Rd					NA		NA		1999
						To: Dead End									
(1203)	0.06	40	R			From: 33-1203					NA		NA		1999
						To: Dead End									
(1204)	0.32	48	R			From: Cul-de-Sac					NA		NA		1999
						To: 33-678									
(1205) Deerpath Dr	0.45	50	R			From: 33-675 Juniper Rd					NA		NA		1999
						To: Cul-de-Sac									
(1206) Indian Run Trail	0.09	20	R			From: Cul-de-Sac					NA		NA		1999
						To: 33-1208									
(1206) Indian Run Trail	0.06	48	R			From: 33-1207 Flint Ct					NA		NA		1999
						To: 33-678									
(1206) Indian Run Trail	0.22	80	R			From: 33-1206 Indian Run Trail					NA		NA		1999
						To: Cul-de-Sac									
(1207) Flint Ct	0.06	20	R			From: 33-1206 Indian Run Trail					NA		NA		1999
						To: Cul-de-Sac									
(1208)	0.05	6	R			From: 33-1206 Indian Run Trail					NA		NA		1999
						To: Cul-de-Sac									

Virginia Department of Transportation
Mobility Management Division

2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Franklin County																
(1209)	0.15	NA				From:	Cul-de-Sac					NA		NA	NA	
						To:	33-00616(B)/									
(1210) Link St	0.10	280	R			From:	US 220					NA		NA	NA	1986
						To:	33-1211									
(1211)	0.23	80	R			From:	33-1210 Begin Loop					NA		NA	NA	1986
						To:	33-1212 WEST									
(1211)	0.42	30	R			From:	33-1212 EAST					NA		NA	NA	1986
						To:	33-1210 End Loop									
(1212) Franco Dr	0.25	40	R			From:	33-1211 WEST					NA		NA	NA	1986
						To:	33-1211 EAST									
(1213)	0.09	70	R			From:	33-824 Murray Knob Rd					NA		NA	NA	1999
						To:	33-1214									
(1214)	0.05	10	R			From:	Cul-de-Sac					NA		NA	NA	1999
						To:	33-1213									
(1214)	0.08	48	R			From:	Cul-de-Sac					NA		NA	NA	1999
						To:	33-677									
(1215)	0.08	90	R			From:	33-1216 Hardwood Ct					NA		NA	NA	1999
						To:	Dead End									07/08/2002
(1216) Hardwood Ct	0.14	70	R			From:	33-1215					NA		NA	NA	1999
						To:	33-1217 Briarwood Ct									
(1216) Hardwood Ct	0.11	40	R			From:	Cul-de-Sac					NA		NA	NA	1999
						To:	33-1216 Hardwood Ct									
(1217) Briarwood Ct	0.15	20	R			From:	Cul-de-Sac					NA		NA	NA	1999
						To:	Cul-de-Sac									
(1218)	0.10	NA				From:	Cul-de-Sac					NA		NA	NA	
						To:	33-00677(B)/									
(1219)	0.13	NA				From:	Cul-de-Sac					NA		NA	NA	
						To:	33-01215(B)/									
(1220)	0.06	240	R			From:	33-1221 Clearview Drive					NA		NA	NA	1999
						To:	US 220									
(1221) Clearview Drive	0.13	200	R			From:	33-693 Green Level Rd					NA		NA	NA	1999
						To:	33-1220									
(1221) Clearview Drive	0.14	220	R			From:	33-1222 Clearview Circle					NA		NA	NA	1999
						To:	Dead End									
(1222) Clearview Circle	0.04	30	R			From:	33-1221 Clearview Drive					NA		NA	NA	1999
						To:										

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Franklin County															
(1222) Clearview Circle	0.07	70	R			From: 33-1221 Clearview Drive					NA		NA	NA	1999
						To: Dead End									
(1225) Little Mountain Dr	0.07	30	R			From: Dead End					NA		NA	NA	1999
						To: 33-1226 EAST									
(1225) Little Mountain Dr	0.10	240	R			From: 33-1226 WEST					NA		NA	NA	1999
						To: 33-693 Green Level Rd									
(1226) Little Mountain Circle	0.28	360	R			From: 33-1225 WEST					NA		NA	NA	1999
						To: 33-1225 EAST									
(1230)	0.28	40	R			From: 33-978 Oak Grove Dr					NA		NA	NA	1999
						To: Dead End									
(1231)	0.09	30	R			From: Dead End					NA		NA	NA	1999
						To: 33-978 Oak Grove Dr									
(1231)	0.10	80	R			From: Dead End					NA		NA	NA	1999
						To: 33-978 Oak Grove Dr									
(1232)	0.51	60	R			From: 33-978 Oak Grove Dr					NA		NA	07/08/2002	
						To: Cul-de-Sac									
(1234) Long Island Dr	1.16	330	R			From: 33-951					NA		NA	NA	1999
						To: Dead End									
(1235) Lakemount Dr	0.99	250	R			From: SR 122					NA		NA	NA	1999
(1235) Lakemount Dr	0.06	20	R			From: 33-1236 Lakemount Circle					NA		NA	NA	1999
						To: Cul-de-Sac									
(1236) Lakemount Circle	0.08	45	R			From: 33-1235 Lakemount Dr					NA		NA	NA	1999
						To: Cul-de-Sac									
(1237)	0.30	90	R			From: 33-1235 Lakemount Dr					NA		NA	NA	1999
						To: 33-1238									
(1238)	0.06	20	R			From: 0.06 MS 33-1237					NA		NA	NA	1999
						To: 33-1237									
(1238)	0.05	40	R			From: 0.05 MN 33-1237					NA		NA	NA	1999
						To: Cul-de-Sac									
(1240)	0.08	NA				From: Cul-de-Sac					NA		NA	NA	
(1240)	0.19	30	R			From: 33-1241 Aspen Way					NA		NA	NA	1999
						To: 33-1235 Lakemount Dr									
(1241) Aspen Way	0.08	20	R			From: Cul-de-Sac					NA		NA	NA	1999
						To: 33-1240									
(1245) Hales Point Dr	0.32	80	R			From: 33-951					NA		NA	NA	1999
						To: Cul-de-Sac									

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Franklin County															
(1250) Indian Pointe Dr	0.17	60	R			From:	Cul-de-Sac						NA	NA	1999
(1250) Indian Pointe Dr	0.19	150	R			To:	33-1251 Arrow Lane						NA	NA	1999
(1251) Arrow Lane	0.08	40	R			From:	Cul-de-Sac						NA	NA	1999
(1252)	0.32	40	R			To:	33-616 Morewood Rd						NA	NA	07/08/2002
(1253)	0.16	30	R			From:	Cul-de-Sac						NA	NA	07/08/2002
(1255)	0.26	NA				To:	Cul-de-Sac						NA	NA	
(1256)	0.21	NA				From:	Cul-de-Sac						NA	NA	
(1257)	0.22	NA				To:	33-01255(B)/						NA	NA	
(1258)	0.07	NA				From:	Cul-de-Sac						NA	NA	
(1259)	0.06	NA				To:	33-01395(B)/						NA	NA	
(1270) Arthur Circle	0.04	610	R			From:	33-602						NA	NA	1993
(1270) Arthur Circle	0.14	110	R			To:	Begin Loop						NA	NA	1993
(1270) Arthur Circle	0.11	48	R			From:	33-1271						NA	NA	1993
(1270) Arthur Circle	0.16	100	R			To:	33-1272 Hurt Dr						NA	NA	1993
(1271)	0.24	70	R			From:	33-1270 Arthur Circle						NA	NA	1993
(1272) Hurt Dr	0.13	30	R			To:	Cul-de-Sac						NA	NA	1993
(1279)	0.13	20	R			From:	Cul-de-Sac						NA	NA	07/08/2002
(1280) Back Nine Dr	0.81	60	R			To:	33-1270 Arthur Circle						NA	NA	1999
(1281)	0.47	20	R			From:	33-616 Morewood Rd						NA	NA	1999
(1282)	0.08	NA				To:	Dead End						NA	NA	
						From:	33-654						NA	NA	
						To:	Cul-de-Sac						NA	NA	
						From:	Cul-de-Sac						NA	NA	
						To:	33-1280 Back Nine Dr						NA	NA	
						From:	Cul-de-Sac						NA	NA	
						To:	33-01280(B)/						NA	NA	

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Franklin County																
(1283)	0.23	NA				From:	Cul-de-Sac									
						To:	33-01345(B)/									
(1290)	0.34	270	R			From:	33-942 Bluewater Dr									1999
						To:	33-1291									
(1291)	0.38	190	R			From:	33-1292 Channelview Dr									1999
						To:	33-1290									
(1291)	0.26	40	R			From:	Cul-de-Sac									1999
						To:	33-1291									
(1292) Channelview Dr	0.49	200	R			From:	Cul-de-Sac									1999
						To:	33-1292 Channelview Dr									
(1293) Middlecreek Ct	0.19	10	R			From:	Cul-de-Sac									1999
						To:	33-1292 Channelview Dr									
(1294) Clearcreek	0.15	50	R			From:	Cul-de-Sac									1999
						To:	33-1294 Clearcreek									
(1295) Eastpoint Way	0.06	20	R			From:	Cul-de-Sac									1999
						To:	33-1294 Clearcreek									
(1296)	0.13	NA				From:	33-01297(B)/									
						To:	33-01291(L)/33-01292(R)/									
(1297)	0.57	NA				From:	Dead End									
						To:	Dead End									
(1298)	0.06	NA				From:	Dead End									
						To:	33-01297(B)/									
(1299)	0.02	NA				From:	33-1297									
						To:	Dead End									
(1301) Campground Rd	0.25	90	R			From:	33-670 Burnt Chimney Rd									1999
						To:	Dead End									
(1302)	0.80	260	R			From:	33-670 Burnt Chimney Rd									1999
						To:	Dead End									
(1303)	0.26	100	R			From:	Dead End									1999
						To:	33-1304 Cove Dr									
(1303)	0.20	130	R			From:	33-670 Burnt Chimney Rd									1999
						To:	33-670 Burnt Chimney Rd									
(1304) Cove Dr	0.30	40	R			From:	Dead End									1999
						To:	33-1303									
(1305)	0.12	20	R			From:	33-670 Burnt Chimney Rd									1999
						To:	Dead End									
(1306) Aquavue Dr	0.07	6	R			From:	33-670 Burnt Chimney Rd									1999
						To:	Dead End									

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Franklin County															
(1307) Cardinal Dr	0.11	20	R			From:	33-1308					NA		NA	1999
						To:	Dead End								
(1308)	0.13	150	R			From:	33-670 Burnt Chimney Rd					NA		NA	1999
						To:	33-1309 Drue Rd								
(1308)	0.03	100	R			From:	33-1307 Cardinal Dr					NA		NA	1999
						To:	33-1311								
(1308)	0.24	80	R			From:	33-1311					NA		NA	1999
						To:	Dead End								
(1309) Drue Rd	0.15	45	R			From:	Dead End					NA		NA	1999
						To:	33-1310 Drue Circle								
(1309) Drue Rd	0.20	50	R			From:	33-1308					NA		NA	1999
						To:	33-1308								
(1310) Drue Circle	0.02	10	R			From:	Dead End					NA		NA	1999
						To:	33-1309 Drue Rd								
(1311)	0.12	40	R			From:	33-1308					NA		NA	1999
						To:	Dead End								
(1312)	0.30	60	R			From:	Dead End					NA		NA	1999
						To:	33-670 Burnt Chimney Rd								
(1313)	0.09	20	R			From:	33-601 Dudley Amos Rd					NA		NA	1986
						To:	Cul-de-Sac								
(1314) Key Lakewood Dr	0.24	120	R			From:	33-1316 Key Lakewood Circle					NA		NA	1999
						To:	33-1315 Chivas Circle								
(1314) Key Lakewood Dr	0.16	140	R			From:	33-1315 Chivas Circle					NA		NA	1999
						To:	33-601 Dudley Amos Rd								
(1315) Chivas Circle	0.06	10	R			From:	33-1314 Key Lakewood Dr					NA		NA	1999
						To:	Dead End								
(1316) Key Lakewood Circle	0.04	20	R			From:	0.04 MW 33-1314					NA		NA	1999
						To:	33-1314 Key Lakewood Dr								
(1316) Key Lakewood Circle	0.04	20	R			From:	33-1314 Key Lakewood Dr					NA		NA	1999
						To:	Dead End								
(1317) Oakpark Dr	0.10	120	R			From:	33-601 Dudley Amos Rd					NA		NA	1999
						To:	33-1318 Dogwood Acre Rd								
(1317) Oakpark Dr	0.17	90	R			From:	33-1318 Dogwood Acre Rd					NA		NA	1999
						To:	33-1319 Forest Rd								
(1317) Oakpark Dr	0.05	20	R			From:	33-1319 Forest Rd					NA		NA	1999
						To:	Cul-de-Sac								
(1318) Dogwood Acre Rd	0.10	30	R			From:	33-1317 Oakpark Dr					NA		NA	1999
						To:	Cul-de-Sac								
(1319) Forest Rd	0.25	40	R			From:	33-1317 Oakpark Dr					NA		NA	1999
						To:	Cul-de-Sac								

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Franklin County															
(1320) Deer Creek Dr	0.06	20	R			From:	Cul-de-Sac				NA		NA	NA	1999
(1320) Deer Creek Dr	0.27	90	R			To:	33-1321 Club House Dr				NA		NA	NA	1999
(1320) Deer Creek Dr	0.10	130	R			To:	33-1322 Jackson Circle				NA		NA	NA	1999
(1321) Club House Dr	0.33	80	R			From:	33-1320 Deer Creek Dr				NA		NA	NA	1999
(1321) Club House Dr	0.07	130	R			To:	33-1324				NA		NA	NA	1999
(1322) Jackson Circle	0.08	10	R			From:	Cul-de-Sac				NA		NA	NA	1999
(1322) Jackson Circle	0.76	230	R			To:	33-1320 Deer Creek Dr				NA		NA	NA	1999
(1323) Crawford Dr	0.06	140	R			From:	33-1321 Club House Dr				NA		NA	NA	1999
(1324)	0.36	70	R			To:	33-616 Morewood Rd				NA		NA	NA	1999
(1325)						From:	33-616 Morewood Rd				NA		NA	NA	1999
(1326) Douglas Dr	0.21	60	R			To:	Cul-de-Sac				NA		NA	NA	1999
(1327)	0.06	10	R			From:	Cul-de-Sac				NA		NA	NA	1999
(1328) Antler Ridge Rd	0.15	120	R			To:	33-1302				NA		NA	NA	1999
(1329) Buck Run	0.45	90	R			From:	33-1329 Buck Run				NA		NA	NA	1999
(1330)						To:	33-616 Morewood Rd				NA		NA	NA	1999
(1330)	0.30	60	R			From:	Cul-de-Sac				NA		NA	NA	1999
(1331) Green Hill Ct	0.14	60	R			To:	33-942 Bluewater Dr				NA		NA	NA	1999
(1332) Bluewater Ct	0.05	20	R			From:	33-942 Bluewater Dr				NA		NA	NA	1999
(1333) Deep Creek Ct	0.05	20	R			To:	Cul-de-Sac				NA		NA	NA	1999
(1334)	0.87	170	R			From:	Cul-de-Sac				NA		NA	NA	1999
(1335) Beechwood Circle	0.14	30	R			To:	33-616 Morewood Rd				NA		NA	NA	1999
(1335) Beechwood Circle						From:	33-667 Bremble Dr				NA		NA	NA	1999
(1335) Beechwood Circle						To:	Cul-de-Sac				NA		NA	NA	1999

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Franklin County															
(1336)	0.04	70	R			From:	33-667 Bremble Dr				NA		NA	NA	1999
(1336)	0.17	48	R			To:	33-1337				NA		NA	NA	1999
(1337)	0.09	20	R			From:	33-1336				NA		NA	NA	1999
(1338) Dogwood Lane	0.16	40	R			To:	Cul-de-Sac				NA		NA	NA	1999
(1339) Leeward Dr	0.24	40	R			From:	Cul-de-Sac				NA		NA	NA	1999
(1340)	0.27	200	R			To:	33-654				NA		NA	NA	1999
(1340)	0.46	70	R			From:	33-833 Lovely Valley Rd				NA		NA	NA	1999
(1340)	0.07	10	R			To:	33-1342				NA		NA	NA	1999
(1341) Dean Ridge Dr	0.27	45	R			From:	33-1341 Dean Ridge Dr				NA		NA	NA	1999
(1341)	0.16	70	R			To:	Dead End				NA		NA	NA	1999
(1342)	0.05	6	R			From:	33-1340				NA		NA	NA	1999
(1342)	0.23	200	R			To:	33-1342				NA		NA	NA	1999
(1343)	0.87	160	R			From:	33-1340				NA		NA	NA	1999
(1343)	0.11	30	R			To:	33-1341 Dean Ridge Dr				NA		NA	NA	1999
(1344) Hillview Dr	0.40	840	R			From:	Cul-de-Sac				NA		NA	NA	1999
(1344)	0.43	140	R			To:	33-601 Dudley Amos Rd				NA		NA	NA	1999
(1345) Anchor Dr	0.26	70	R			From:	33-654				NA		NA	NA	1999
(1345) Anchor Dr	0.11	70	R			To:	33-1348 Larboard Dr				NA		NA	NA	1999
(1345) Anchor Dr	0.43	140	R			From:	33-1347 EAST				NA		NA	NA	1999
(1345) Anchor Dr	0.26	70	R			To:	33-1346				NA		NA	NA	1999
(1346)	0.12	8	R			From:	33-1345 Anchor Dr				NA		NA	NA	1999
(1346)	0.43	140	R			To:	Cul-de-Sac				NA		NA	NA	1999
(1347) Gangplank Dr	0.06	70	R			From:	Cul-de-Sac				NA		NA	NA	1999
(1347) Gangplank Dr	0.12	70	R			To:	33-1345 WEST				NA		NA	NA	1999
						To:	33-1345 EAST				NA		NA	NA	1999

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Franklin County															
(1347) Gangplank Dr	0.39	380	R			From:	33-1345 EAST				NA		NA	NA	1999
(1347) Gangplank Dr	0.20	250	R			To:	33-1366 Clipper Circle				NA		NA	NA	1999
(1347) Gangplank Dr	0.08	200	R			From:	33-1367 Freeboard Dr				NA		NA	NA	1999
						To:	Dead End								
(1348) Larboard Dr	0.21	70	R			From:	Cul-de-Sac				NA		NA	NA	1999
(1348) Larboard Dr	0.13	130	R			To:	33-1349				NA		NA	NA	1999
(1348) Larboard Dr	0.20	40	R			From:	33-1345 Anchor Dr				NA		NA	NA	1999
						To:	Dead End								
(1349)	0.14	60	R			From:	33-1348 Larboard Dr				NA		NA	NA	1999
						To:	Cul-de-Sac								
(1350)	0.71	50	R			From:	Cul-de-Sac				NA		NA	NA	1999
						To:	33-1353; 33-1350								
(1351) Niver Dr	0.16	60	R			From:	33-945 Kemp Ford Rd				NA		NA	NA	1999
						To:	33-1352								
(1351) Niver Dr	0.24	20	R			From:	Cul-de-Sac				NA		NA	NA	1999
						To:	33-1351 Niver Dr								
(1352)	0.45	60	R			From:	33-945 Kemp Ford Rd				NA		NA	NA	1999
						To:	Cul-de-Sac								
(1353) Boxwoodgreen Dr	0.15	50	R			From:	33-1357				NA		NA	NA	1999
						To:	33-1354								
(1353) Boxwoodgreen Dr	0.18	130	R			From:	33-1354				NA		NA	NA	1999
						To:	33-1355 Oakshire Lane								
(1353) Boxwoodgreen Dr	0.51	240	R			From:	Cul-de-Sac				NA		NA	NA	1999
						To:	33-1355 Boxwoodgreen Dr								
(1354)	0.16	20	R			From:	Cul-de-Sac				NA		NA	NA	1999
						To:	33-1353 Boxwoodgreen Dr								
(1355) Oakshire Lane	1.16	300	R			From:	Cul-de-Sac				NA		NA	NA	1999
						To:	33-944 Crafts Ford Rd								
(1356) Morningwood Dr	0.34	20	R			From:	Cul-de-Sac				NA		NA	NA	1999
						To:	33-1355 Oakshire Lane								
(1357)	0.10	20	R			From:	Cul-de-Sac				NA		NA	NA	1999
						To:	33-1353 Boxwoodgreen Dr								
(1358)	0.98	70	R			From:	Cul-de-Sac				NA		NA	NA	1999
						To:	33-944 Crafts Ford Rd								
(1359) Crafts Ford Ct	0.36	40	R			From:	Cul-de-Sac				NA		NA	NA	1999
						To:	33-944 Crafts Ford Rd								

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Franklin County																
(1360) Lanyard Lane	0.12	120	R			From:	33-654					NA		NA	NA	1999
(1360) Lanyard Lane	0.13	100	R			To:	33-1361 Lanyard Lane					NA		NA	NA	1999
						To:	Cul-de-Sac									
(1361) Lanyard Lane	0.21	48	R			From:	33-1360 Lanyard Lane					NA		NA	NA	1999
						To:	Cul-de-Sac									
(1362) Catamaran Lane	0.22	50	R			From:	33-654					NA		NA	NA	1999
						To:	Cul-de-Sac									
(1363)	0.25	110	R			From:	33-654					NA		NA	NA	1999
						To:	Cul-de-Sac									
(1364)	0.17	30	R			From:	33-1343					NA		NA	07/08/2002	
						To:	Dead End									
(1365) Beneva Circle	0.04	20	R			From:	Cul-de-Sac					NA		NA	NA	1999
						To:	33-1347 Gangplank Dr									
(1366) Clipper Circle	0.15	50	R			From:	33-1347 Gangplank Dr					NA		NA	NA	1999
						To:	Cul-de-Sac									
(1367) Freeboard Dr	0.18	100	R			From:	33-1347 Gangplank Dr					NA		NA	NA	1999
						To:	Cul-de-Sac									
(1368)	0.14	60	R			From:	33-1343					NA		NA	NA	1999
						To:	Cul-de-Sac									
(1369)	0.10	20	R			From:	Cul-de-Sac					NA		NA	NA	1999
						To:	33-1350									
(1370) Chickadee Circle	0.09	20	R			From:	33-949 Lakewood Forest Rd					NA		NA	NA	1999
						To:	Cul-de-Sac									
(1371) Nuthatch Circle	0.11	20	R			From:	33-949 Lakewood Forest Rd					NA		NA	NA	1999
						To:	Cul-de-Sac									
(1372)	0.10	20	R			From:	33-1343					NA		NA	07/08/2002	
						To:	Dead End									
(1373)	0.42	20	R			From:	Cul-de-Sac					NA		NA	NA	1999
						To:	33-1377									
(1374) Loving Circle	0.08	10	R			From:	33-1379 Blackwater Circle					NA		NA	NA	1999
						To:	Cul-de-Sac									
(1375) Findlay Circle	0.05	20	R			From:	Cul-de-Sac					NA		NA	NA	1999
						To:	33-1379 Blackwater Circle									
(1376)	0.19	40	R			From:	33-1379 Blackwater Circle					NA		NA	NA	1999
						To:	Cul-de-Sac									
(1377)	0.16	30	R			From:	Cul-de-Sac					NA		NA	NA	1999
						To:	33-1378 Marina bay Dr									

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail								
Franklin County																	
(1378) Marina bay Dr	0.40	170	R			From:	Cul-de-Sac					NA			NA		1999
						To:	33-610										
(1379) Blackwater Circle	0.33	300	R			From:	33-610					NA			NA		1999
						To:	33-1375 Findlay Circle										
(1379) Blackwater Circle	0.24	70	R			From:	Cul-de-Sac					NA			NA		1999
						To:	33-610										
(1380)	0.19	650	R			From:	33-1381 Cross Harbor Dr					NA			NA		1999
						To:	33-1388 Island View Dr					NA			NA		1999
(1380)	0.17	340	R			From:	33-1389					NA			NA		1999
						To:	Cul-de-Sac										
(1380)	0.21	120	R			From:	33-1386 Lands End Rd					NA			NA		1999
						To:	33-1382 Bay Front Rd										
(1381) Cross Harbor Dr	0.22	150	R			From:	33-1380					NA			NA		1999
						To:	Cul-de-Sac										
(1381) Cross Harbor Dr	0.31	210	R			From:	33-1383 Bay Breeze Lane					NA			NA		1999
						To:	33-1381 Cross Harbor Dr										
(1382) Bay Front Rd	0.05	20	R			From:	33-1382 Bay Front Rd					NA			NA		1999
						To:	Cul-de-Sac										
(1382) Bay Front Rd	0.06	50	R			From:	33-1388 Island View Dr					NA			NA		1999
						To:	33-1381 Cross Harbor Dr										
(1383) Bay Breeze Lane	0.10	30	R			From:	33-1382 Bay Front Rd					NA			NA		1999
						To:	Cul-de-Sac										
(1384) Harbor View Circle	0.05	20	R			From:	33-1381 Cross Harbor Dr					NA			NA		1999
						To:	Cul-de-Sac										
(1385)	0.04	20	R			From:	Cul-de-Sac					NA			NA		1999
						To:	33-1381 Cross Harbor Dr										
(1386) Lands End Rd	0.05	20	R			From:	0.05 MS 33-1381					NA			NA		1999
						To:	33-1381 Cross Harbor Dr										
(1386) Lands End Rd	0.07	30	R			From:	33-1381 Cross Harbor Dr					NA			NA		1999
						To:	0.07 MN 33-1381										
(1387) Birdie Lane	0.08	6	R			From:	Cul-de-Sac					NA			NA		1999
						To:	33-1380										
(1388) Island View Dr	0.26	130	R			From:	33-1380					NA			NA		1999
						To:	33-1392 Island Bay Ct										
(1388) Island View Dr	0.13	80	R			From:	33-1390					NA			NA		1999
						To:	Cul-de-Sac										
(1388) Island View Dr	0.06	20	R			From:	Cul-de-Sac					NA			NA		1999
						To:	33-1380										
(1389)	0.14	40	R			From:	Cul-de-Sac					NA			NA		1999
						To:	33-1380										

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year	
						2Axle	3+Axle	1Trail	2Trail							
Franklin County																
(1390)	0.06	30	R			From: Cul-de-Sac					NA		NA		NA	1999
						To: 33-1388 Island View Dr										
(1391)	0.20	10	R			From: 33-654					NA		NA		NA	1999
						To: Dead End										
(1392) Island Bay Ct	0.05	30	R			From: Dead End					NA		NA		NA	1999
						To: 33-1388 Island View Dr										
(1393)	0.49	70	R			From: Dead End					NA		NA		07/08/2002	
						To: 33-1394 WEST										
(1394)	0.19	30	R			From: 33-1393 WEST					NA		NA		07/08/2002	
						To: 33-1393 EAST										
(1395) Morgans Mill Dr	0.58	200	R			From: 33-610					NA		NA		NA	1999
						To: Dead End										
(1396)	0.33	80	R			From: 33-1395 Morgans Mill Dr					NA		NA		NA	1999
						To: Cul-de-Sac										
(1397) Low Country Dr	0.18	40	R			From: 33-1395 Morgans Mill Dr					NA		NA		NA	1999
						To: Cul-de-Sac										
(1398)	0.28	NA				From: 33-668					NA		NA		NA	
						To: Dead End										
(1399)	0.21	30	R			From: 33-1302					NA		NA		07/08/2002	
						To: Dead End										
(1400) Old Craft Shop	0.15	70	R			From: 33-887					NA		NA		NA	1999
						To: SR 40										
(1401)	0.13	100	R			From: SR 40					NA		NA		NA	1999
						To: 33-1402 Michael Ave										
(1402) Michael Ave	0.09	40	R			From: 33-1403 Nolen St					NA		NA		NA	1999
						To: 33-1401										
(1403) Nolen St	0.13	100	R			From: SR 40					NA		NA		NA	1999
						To: 33-1402 Michael Ave										
(1404)	0.44	NA				From: 33-01405(B)/					NA		NA		NA	
						To: 33-00665(B)/										
(1405)	0.10	NA				From: Cul-de-Sac					NA		NA		NA	
						To: Cul-de-Sac										
(1407)	0.09	NA				From: Cul-de-Sac					NA		NA		NA	
						To: 33-01343(B)/										
(1408)	0.05	20	R			From: 33-1343					NA		NA		07/08/2002	
						To: Cul-de-Sac										
(1409)	0.17	20	R			From: 33-1343 EAST					NA		NA		07/08/2002	
						To: 33-1343 WEST										

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Franklin County																
(1410)	0.10	30	R			From: Dead End					NA		NA		NA	1999
						To: 33-623										
(1411) Nelson St	0.12	40	R			From: Dead End					NA		NA		NA	1999
						To: 33-623; 33-781										
(1418)	0.63	NA				From: 33-00665(B)/					NA		NA			
						To: Dead End										
(1419)	0.24	NA				From: Dead End					NA		NA			
						To: 33-00668(B)/										
(1420) Indian Trail	0.06	10	R			From: Dead End					NA		NA		NA	1999
						To: 33-1421 Navajo Circle										
(1420) Indian Trail	0.40	40	R			From: 33-1421 Navajo Circle					NA		NA		NA	1999
						To: 33-990										
(1421) Navajo Circle	0.14	1	R			From: Dead End					NA		NA		NA	1999
						To: 33-1420 Indian Trail										
(1425)	0.20	20	R			From: Cul-de-Sac					NA		NA		NA	1999
						To: 33-945 Kemp Ford Rd										
(1430)	0.20	30	R			From: 33-945 Kemp Ford Rd					NA		NA		NA	1999
						To: Cul-de-Sac										
(1431)	0.08	NA				From: 33-01334(B)/					NA		NA			
						To: Cul-de-Sac										
(1439)	0.10	NA				From: Cul-de-Sac					NA		NA			
						To: 33-00601(B)/										
(1440) Ivy Lane	0.48	90	R			From: 33-1441 Beech Dr					NA		NA		NA	1999
						To: 33-938										
(1441) Beech Dr	0.04	20	R			From: Cul-de-Sac					NA		NA		NA	1999
						To: 33-1442 Azalea Circle										
(1441) Beech Dr	0.23	80	R			From: 33-1442 Azalea Circle					NA		NA		NA	1999
						To: 33-1440 Ivy Lane										
(1442) Azalea Circle	0.09	40	R			From: 33-1440 Ivy Lane					NA		NA		NA	1999
						To: Cul-de-Sac										
(1450)	0.20	50	R			From: 33-1441 Beech Dr					NA		NA		NA	1999
						To: Cul-de-Sac										
(1451) Beckys Mill Rd	0.15	20	R			From: 33-949 Lakewood Forest Rd					NA		NA		NA	1999
						To: Cul-de-Sac										
(1452)	0.42	110	R			From: 33-949 Lakewood Forest Rd					NA		NA		NA	07/08/2002
						To: Cul-de-Sac										
(1460)	0.08	40	R			From: Cul-de-Sac					NA		NA		NA	1999
						To: 33-1461										

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Franklin County																
(1460)	0.20	260	R			From:	33-1461				NA		NA		NA	1999
						To:	33-697 Brick Church Rd									
(1461)	0.50	170	R			From:	Cul-de-Sac				NA		NA		NA	1999
						To:	33-1460									
(1470)	0.53	250	R			From:	33-948				NA		NA		NA	1999
						To:	Cul-de-Sac									
(1471)	0.13	40	R			From:	Cul-de-Sac				NA		NA		NA	1999
						To:	33-1470									
(1472)	0.06	20	R			From:	33-1470				NA		NA		NA	1999
						To:	Cul-de-Sac									
(1473)	0.05	30	R			From:	Cul-de-Sac				NA		NA		NA	1999
						To:	33-1470									
(1480) Chestnut Creek	0.34	390	R			From:	Cul-de-Sac				NA		NA		NA	1999
						To:	33-1481 North Church Dr									
(1480) Chestnut Creek	0.16	500	R			From:	33-1481 North Church Dr				NA		NA		NA	1999
						To:	33-616 Morewood Rd									
(1481) North Church Dr	0.38	40	R			From:	Cul-de-Sac				NA		NA		NA	1999
						To:	33-1482 Cambridge Ct									
(1481) North Church Dr	0.14	120	R			From:	33-1482 Cambridge Ct				NA		NA		NA	1999
						To:	33-1480 Chestnut Creek									
(1482) Cambridge Ct	0.28	40	R			From:	33-1481 North Church Dr				NA		NA		NA	1999
						To:	Cul-de-Sac									
(1483)	0.51	20	R			From:	33-1480 Chestnut Creek				NA		NA		NA	1999
						To:	33-1481 North Church Dr									
(1490) Cedar Ridge Rd	0.27	90	R			From:	33-938				NA		NA		NA	1999
						To:	33-1491									
(1490) Cedar Ridge Rd	0.29	60	R			From:	33-1491				NA		NA		NA	1999
						To:	Dead End									
(1491)	0.26	20	R			From:	33-1490 Cedar Ridge Rd				NA		NA		NA	1999
						To:	Cul-de-Sac									
(1492) Cedar Ridge Cir	0.04	20	R			From:	33-1490 Cedar Ridge Rd				NA		NA		NA	1999
						To:	Cul-de-Sac									
(1493)	0.04	10	R			From:	33-1490 Cedar Ridge Rd				NA		NA		NA	1999
						To:	Cul-de-Sac									
(1501)	0.15	280	R			From:	33-681				NA		NA		NA	1986
						To:	33-1502 Bailey Blvd									
(1502) Bailey Blvd	0.07	20	R			From:	33-1504 Dixon Dr				NA		NA		NA	1986
						To:	33-1501									
(1502) Bailey Blvd	0.38	240	R			From:	33-1501				NA		NA		NA	1986
						To:	33-1503 Begin Loop									

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Franklin County															
(1503) Lakeshore Terrace Rd	1.00	110	R			From:	33-1502 Begin Loop				NA		NA	NA	07/08/2002
						To:	End Loop								
(1504) Dixon Dr	0.08	10	R			From:	Dead End				NA		NA	NA	1986
						To:	33-1502 Bailey Blvd								
(1504) Dixon Dr	0.24	2	R			From:	Cul-de-Sac				NA		NA	NA	1986
						To:	Dead End								
(1505)	0.40	NA				From:	Cul-de-Sac				NA		NA	NA	
						To:	33-00634(B)/								
(1506)	0.25	NA				From:	Cul-de-Sac				NA		NA	NA	
						To:	33-01505(B)/								
(1510) Oakdale Dr	0.26	60	R			From:	Dead End				NA		NA	NA	1986
						To:	33-639								
(1511)	0.21	60	R			From:	Dead End				NA		NA	NA	1986
						To:	33-639								
(1512)	0.19	60	R			From:	Cul-de-Sac				NA		NA	NA	1986
						To:	33-639								
(1513) Autumn Circle	0.15	30	R			From:	Cul-de-Sac				NA		NA	NA	1986
						To:	33-639								
(1514)	0.22	40	R			From:	Cul-de-Sac				NA		NA	NA	1986
						To:	33-639								
(1519)	0.11	120	R			From:	Cul-de-Sac				NA		NA	NA	07/10/2002
						To:	33-684								
(1520)	0.16	NA				From:	Dead End				NA		NA	NA	
						To:	33-1526								
(1520)	0.47	40	R			From:	33-1524 WEST				NA		NA	NA	1999
						To:	33-1524 EAST								
(1520)	0.02	80	R			From:	33-1525 Boulder Point Dr				NA		NA	NA	1999
						To:	33-1524 EAST								
(1520)	0.03	100	R			From:	33-1523 Bittersweet Lane				NA		NA	NA	1999
						To:	33-1522								
(1520)	0.14	300	R			From:	33-1521 Ledges Circle				NA		NA	NA	1999
						To:	SR 116								
(1520)	0.02	330	R			From:	33-1520				NA		NA	NA	1999
						To:	Cul-de-Sac								
(1521) Ledges Circle	0.04	20	R			From:	Cul-de-Sac				NA		NA	NA	1999
						To:	33-1520								
(1522)	0.04	10	R			From:	Cul-de-Sac				NA		NA	NA	1999
						To:	33-1520								

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Franklin County															
(1523) Bittersweet Lane	0.34	70	R			From:	0.34 MS 33-1520					NA		NA	1999
(1523) Bittersweet Lane	0.10	40	R			To:	33-1520					NA		NA	1999
(1524)	0.09	20	R			To:	Cul-de-Sac					NA		NA	1999
(1524)	0.06	8	R			From:	Cul-de-Sac					NA		NA	1999
(1524)	0.03	49	R			To:	Begin Legs					NA		NA	1999
(1525) Boulder Point Dr	0.18	60	R			From:	33-1520					NA		NA	1999
(1526)	0.23	NA				To:	Cul-de-Sac					NA		NA	
(1530) Kristen Forest Rd	0.28	50	R			From:	33-1520					NA		NA	1999
(1530) Kristen Forest Rd						To:	Cul-de-Sac					NA		NA	
(1530) Kristen Forest Rd	0.28	50	R			From:	33-679 Charlie Rd					NA		NA	1999
(1535) Meadow Dr	0.24	200	R			From:	33-634					NA		NA	1999
(1535) Meadow Dr	0.03	20	R			To:	33-1536 Green Valley Rd					NA		NA	1999
(1536) Green Valley Rd	0.18	80	R			From:	Cul-de-Sac					NA		NA	1999
(1545) Frederick Circle	0.12	50	R			To:	Cul-de-Sac					NA		NA	1993
Town of Boones Mill															
(1601) Easy St	0.23	150	R			From:	Dead End					NA		NA	1986
(1601) Easy St	0.10	460	R			To:	33-1602 Boon St					NA		NA	1986
(1602) Boon St	0.05	1100	R			From:	33-684					NA		NA	1999
(1602) Boon St	0.01	750	R			To:	US 220					NA		NA	1986
(1603) Main St	0.12	990	R			From:	33-1603 Main St					NA		NA	1986
(1603) Main St						To:	33-1601 Easy St					NA		NA	
(1604) Church Hill	0.20	70	R			From:	33-1602 Boon St					NA		NA	1986
(1604) Church Hill						To:	33-684					NA		NA	
(1605)	0.23	390	R			From:	Dead End					NA		NA	1986
(1605)						To:	US 220					NA		NA	
(1606) Dogwood Hill Rd	0.40	200	R			From:	33-684					NA		NA	1999
(1606) Dogwood Hill Rd						To:	Dead End					NA		NA	
(1606) Dogwood Hill Rd	0.40	200	R			From:	33-1607 Heatherwood Dr					NA		NA	1999

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail						
Town of Boones Mill															
(1606) Dogwood Hill Rd	0.10	560	R			From: 33-1607 Heatherwood Dr					NA		NA	NA	1999
						To: 33-739									
Franklin County															
(1607) Heatherwood Dr	0.25	320	R			From: Dead End					NA		NA	NA	1999
						To: WCL Boones Mill									
Town of Boones Mill															
(1607) Heatherwood Dr	0.18	350	R			From: WCL Boones Mill					NA		NA	NA	1999
						To: 33-1606 Dogwood Hill Rd									
Franklin County															
(1608) Mountainaire Rd	0.55	60	R			From: Dead End					NA		NA	NA	1989
						To: WCL Boones Mill									
Town of Boones Mill															
(1608) Mountainaire Rd	0.14	50	R			From: WCL Boones Mill					NA		NA	NA	05/30/2002
						To: 33-739									
(1609) Oakwood Dr	0.25	40	R			From: 33-739					NA		NA	NA	1999
						To: Dead End									
(1610) Angell Lane	0.20	50	R			From: WCL Boones Mill					NA		NA	NA	1999
						To: US 220									
(1611)	0.35	120	R			From: US 220					NA		NA	NA	1986
						To: NCL Boones Mill									
Franklin County															
(1611)	0.30	120	R			From: NCL Boones Mill					NA		NA	NA	1986
						To: Dead End									
(1612)	0.03	130	R			From: 33-684					NA		NA	NA	1986
						To: 33-1613									
(1612)	0.10	50	R			From: 33-1613					NA		NA	NA	1993
						To: Dead End									
(1613)	0.22	110	R			From: Dead End					NA		NA	NA	1986
						To: 33-1612									
Town of Boones Mill															
(1615) Murray Hill Rd	0.02	20	R			From: Dead End					NA		NA	NA	1991
						To: 33-1611									
Franklin County															
(1620) Mill Race Rd	0.16	30	R			From: 33-919					NA		NA	NA	1999
						To: Dead End									
(1630) Glen Dr	0.18	60	R			From: US 220					NA		NA	NA	1995
						To: Cul-de-Sac									
(1640) Island Pointe Lane	0.75	270	R			From: Cul-de-Sac					NA		NA	NA	1999
						To: 33-616 Morewood Rd									
(1641)	0.65	80	R			From: 33-1645 SOUTH					NA		NA	NA	1999
						To: 33-1640 Island Pointe Lane									

Virginia Department of Transportation
Mobility Management Division

2004
Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year
						2Axle	3+Axle	1Trail	2Trail							
Franklin County																
(1645)	0.33	50	R			From: Dead End					NA		NA		NA	1999
						To: 33-1641 NORTH										
(1650)	0.14	40	R			From: 33-942 Bluewater Dr					NA		NA		NA	1999
						To: Cul-de-Sac										
(1651) Harbor Landing Dr	0.51	30	R			From: 33-1650					NA		NA		NA	1999
						To: Cul-de-Sac										
(1660) Blue Lake Rd	0.41	40	R			From: 33-674					NA		NA		NA	1999
						To: Cul-de-Sac										
(1661)	0.10	10	R			From: Cul-de-Sac					NA		NA		NA	1999
						To: 33-1660 Blue Lake Rd										
(1670)	0.32	40	R			From: 33-665 Mallard Point Rd					NA		NA		NA	1999
						To: Cul-de-Sac										
(1671)	0.12	6	R			From: Cul-de-Sac					NA		NA		NA	07/08/2002
						To: 33-1670										
(1672) Cathedral Oaks lane	0.21	30	R			From: 33-665 Mallard Point Rd					NA		NA		NA	1999
						To: Cul-de-Sac										
(1675)	0.30	NA				From: 33-866					NA		NA		NA	
						To: Dead End										
(1676)	0.24	NA				From: 33-1675					NA		NA		NA	
						To: Dead End										
(1677)	0.38	NA				From: Dead End					NA		NA		NA	
						To: 33-1675										
(1678)	0.21	NA				From: 33-1677					NA		NA		NA	
						To: Dead End										
Town of Rocky Mount																
(9122) Middle School Rd	0.51	1000	R			From: Bus US 220					NA		NA		NA	1995
						To: Franklin Middle School										
Franklin County																
(9151)	0.05	250	R			From: 33-641					NA		NA		NA	1995
						To: Dead End										
Town of Rocky Mount																
(9152) Franklin Training School	0.04	10	R			From: Dead End					NA		NA		NA	1986
						To: Dead End										
Franklin County																
(9154)	0.08	260	R			From: 33-670 Burnt Chimney Rd					NA		NA		NA	1995
						To: Burnt Chimney Elem School										
(9155)	0.05	80	R			From: 33-924					NA		NA		NA	1995
						To: Snow Creek Elem Sch										
(9156)	0.15	180	R			From: SR 40					NA		NA		NA	1995
						To: Glade Hill School										

Virginia Department of Transportation
Mobility Management Division

2004

Annual Average Daily Traffic Volume Estimates By Section of Route
Franklin Maintenance Area

Route	Length	AADT	QA	4Tire	Bus	Truck				QC	K Factor	QK	Dir Factor	AAWDT	QW	Year					
						2Axle	3+Axle	1Trail	2Trail												
Franklin County																					
(9228)	0.05	120	R			From: 33-691									NA	NA	1995				
						To: Boones Mill Elem Sch															
(9229)	0.13	140	R			From: 33-834 Brooks Mill Rd									NA	NA	1995				
						To: Dudley Elem School															
(9475) Henry School Rd	0.35	210	R			From: Henry Elem School									NA	NA	1995				
						To: 33-760															
(820) White Falls Road	0.05	10	R			From: Patrick County Line									NA	NA	10/15/2002				
						To: Franklin County Line															
Town of Rocky Mount																					
(1) State St	0.80	2700	G			From: South Main St									C	0.091	F	0.644	2700	G	2004
						To: Weaver St															
(1) State St	0.54	2800	G			From: 91% 0% 1% 6% 2% 0%								F	0.102	F	0.698	2900	G	2004	
						To: North Main St															
(2) Donald Ave	0.45	2600	G			From: Court St									C	0.089	F	0.534	2700	G	2004
						To: Tanyard Rd															
(3) Court St	0.26	2500	G			From: Orchard Ave									C	0.098	F	0.515	2600	G	2004
						To: Donald Ave															
(4) Orchard Ave	0.21	1200	G			From: Main St									F	0.115	F	0.621	1200	G	2004
						To: Cliff St															
(4) Orchard Ave	0.59	1500	G			From: 98% 0% 1% 0% 0% 0%								C	0.118	F	0.516	1600	G	2004	
						To: Court St															
(5) Diamond Ave	0.32	1400	G			From: WCL Rocky Mount									F	0.096	F	0.56	1500	G	2004
						To: W. End St															
(5) Diamond Ave	0.31	1800	G			From: 99% 0% 0% 1% 0% 0%								C	0.096	F	0.638	1800	G	2004	
						To: Franklin St															
(390) Scuffling Hill Rd	0.87	2400	G			From: WCL Rocky Mount									C	0.097	F	0.562	2400	G	2004
						To: W. Knollwood Ave															
(390) Scuffling Hill Rd	0.52	2700	G			From: 97% 0% 1% 0% 1% 0%								F	0.102	F	0.608	2700	G	2004	
						To: Main St															
(392) Grassy Hill Rd	0.35	3300	G			From: WCL Rocky Mount									C	0.102	F	0.506	3300	G	2004
						To: North Main St															
(2314) Tanyard Rd	0.69	7700	G			From: Main St									C	0.093	F	0.552	7800	G	2004
						To: Pell Ave															
(2315) Floyd Ave	0.22	3700	G			From: Franklin St									C	0.100	F	0.719	3800	G	2004
						To: Main St															